


Township / Range Lines:

South line of Townships 1N to 7N in Ranges 6E to 12E

East line of Ranges 5E to 11E in Townships 1N to 7N

Thursday the 14th of August.
Hired a pilot to show me the boundary line of the Illinois Grant, he conducted us to a corner from which a line ran S 20° W. that is he said would intersect the exterior boundary line, & travelled on said line 75 Chains intersected an old marked line bearing 44 E, this we take to be the outside line of the Grant, we therefore trace & remark it on the above course.

5.00	brook & 1/4 wide running E.
12.00	do do
42.00	do do
52.50	to a gum and two white oaks marked as a square for a corner, although it does not agree with our corner reference



Indiana Historical Land Survey Documents project - LW & CJH, 2021

Surveyed: 11/1806

Thursday the 14.th of August.

Hired a pilot to shew me the boundary line of the Illinois Grant, he conducted us to a corner from which a line ran S 49° W. that line he said would intersect the exterior boundary line, & traveled on said line 75 Chains intersected an old marked line bearing S 41° E, this we take to be the outside line of the Grant, we therefore trace & remark it on the above corner.

5.00 brook 3rd wide running E.
12.00 do do do do do
42.00 do do do do do
52.50 to a gum and two whiteoaks
notched as I suppose for a
corner, although it does not
agree with any corner represent.

on the plat of Clark's Grant
S 49° W on an old marked line
Ch. Lk.

2.50 brook 10 lkt wide running S,

5.00 Intersected Mr. Henries trap
line here we set up a post from
which a No. 15 I.D. bears S 23° W 12
& a Hick 8 I.D. N 53° E 20 W dist.

Note these lines have ran agreea-
ble to the magnetic course

West on Henries trap line

19.80 to the corner of sets 334 & 35 in
T. 1. R. 6, —

traveled West on Henries line
4 miles to the ^{S.W.} corner of the Township
found his measure correct & his
Variation to be 6.15 —

This night I find the Vari-
ation to be 5.50 as near as I
can ascertain it —

Friday the 15th of August 1806

Var. 5° 50' E

North between ^{Town 181 N} Ranges 5 & 6 ^{E. 181} T. 181
meridian
four mile

- 14.65 Cht. oak 12 } poor high
28.50 yellow pine 15 } hills
40.00 2^d set post from which a
Cht. oak 15 S 7 D. bears N 20 E 7 8 a
Cht. oak 8 S 36 W 10 lks dist
57.00 brook 10 lks wide running West
61.00 beech 12 S. D.
80.00 set a post corner to sets 25 & 36
T. 1. R. 5 from which a Cht. oak
15 S 54 W 13 8 a Cht. oak 13 S
87 E 18 lks dist

- North 2nd Mile } high brushy
21.50 lks. 6 W. } Redges timber
32.50 N. 0 8 S. D. } Oak Cht. &
40.00 2^d set post a Cht. oak 18 N 81 W
28 8 a Cht. oak 12 S 73 E 16
62.30 poplar 12
80.00 post corner to 24 & 25 T. 1

North between Ranges

0 R. 5 from which a hickory
15 N 10 E 7 & a poplar 40
S 57 E 14 lkt. dist

North 3rd mile hilly Oak

5.00	bk 3 N. E.	} land, a
33.50	W. O. 18	
40.00	D. S. set post from which a	
	R. 0.12 N 15 E 20 & a R. 8 S 38 E 25	
62.00	bk. 20 W.	} good land. good water & well timbered with Oak ash beech &c
66.50	beech 18	
80.00	post corner to set, 13 & 24 a	
	beech 18 N 11 W 18 & a beech	
	8 S 30 E 19 lkt. dist a	

North 4th mile

4.00	bk 3 S W	} good level land
19.50	beech 20	
21.00	bk 3.5 S W,	} timbered with sugar beech lkt &c
31.50	beech 30	
40.00	D. S. post a W. O. 24 N 61 E 11	

Number 5 & 6

and a 240.15 S 87° W 30.

54.30	poplar 50	} good land. timber
77.00	bk 3 S. E.	
80.00	post for the corner of 12 & 13	
	T. N. R. 5 ^E a R. 0.6 S 17° W 134 a R. 0.	
	10 N 29° W 21 a	

North 5 th Mile	} generally good Oak land.	
23.00 R. 0.16		
33.00 bk 50 N.		
40.00 2 nd S. post a walnut 6 S 37° E		
16 4a walnut 12 N 19° W 40		
48.80 beech 15	} Rich bottom land. timber	
55.00 bk 10 S W		
75.00 loopt bk S E	} beech sugar Elm a	
78.00 bk 10 S. E		
80.00	post corner to sets 1 & 12	
	T. N. R. 5 ^E a sycamore 18 S 37° W	
	26 4a No. 10 N 19° W 19	

6 16th day of August 1806

North 6th mile between Ranges 5 & 6

14.26 beech 14 } good level land timber
40.00 W. set post a } oak beech sugar &
184 a beech 8 } S 7 E 23

61.00 beech 24 } first rate land
74.25 W.O. 18 } timber sugar beech
poplar &

80.00 set a post for the corner of
Township N^o. 182nd in Ranges 5
& 6, a beech 16 N 51 E 11 & a
beech 15 S 20 W 41

var. 5.50.0
East first mile between T. 182nd
of Range N^o. 6 E. of 2nd mer.

5.00 b.k. 10 S. E. } level land
6.30 beech 16 N. E. } rich soil timber
7.00 loopt b.k. } beech sugar
18.50 b.k. 10 N. E. } poplar &
21.00 same b.k. S. E.
22.00 loopt b.k. }
25.00 beech 25 S. }
40.00 W. set post a poplar 18 N 70 W
7 & a beech 24 S 4 E 26

Range No 6

7

61.00 bk 3 S, } level land, timber
66.00 beech 18 } Oak poplar beech
72.50 bk 5 S, }
79.50 bk 20 S }

80.00 set a post corner to 31 & 32
in T. 2 R. 6 a sugar 18 N 73 E
17 & a sugar 16 S 14 E 29

East 2nd Mile between T. 1 & 2

12.50 bk 20 S, W } uneven land
14.50 Coopt Creek } timber beech Oak

30.00 bk 3 N W

40.00 post from which a No. 18 S 60 W
12 & a sugar 4 N 25 E 29

46.50 R. 36 } good level land
52.50 bk 20 N W. } timber beech
poplar &

80.00 set a post for the corner of 32
& 33 T. 2 R. 6 a beech 12 N 53 W 28
& a R. 24 S 36 E 23

East 3rd Mile

Range No 6

15.70	bkt 14	} level good Oak land
21.50	bkt 3 S.	
30.50	No. 30	
33.50	bkt 3 S.	
40.00	Set post a No. 14 S 42 E 40 a beech 12 N 58 W 17	
51.80	No. 36	} pretty good Oak land
80.00	set a post for the corner of 33 434 a beech 14 S 14 E 184 a beech 24 N 53 W 42	

East 4.11	Mile	} hilly poor pine land
12.00	bkt 3 S E	
35.00	No. 3 S.	} Very high poor hills timber Oak & pine
40.00	No. 1, post a beech 10 S 17 N	
20.8	No. 10 N 50 W 27	
40.50	bkt 3 S	}
50.00	No. 5 S	
64.50	No. 24	
67.00	bkt 2 S	

Range N^o 6

9

76.50 bk 3 S.

80.00 set a post for the corner of
34 & 35 T. 2 R. 6 a pine 7 S 36 E
16 & a No 10 S 55 W 18

East 5th Mile

16.50 bk 5 S.

19.00 Cht 24

30.00 bk 2 S.

37.00 S^o 3 S W

40.00 2^d S. post a Cht oak 12 N 80 E 36

& a Cht 12 & 69. W 55

80.00 post corner to 35 & 36 in T. 2 R. 6

a Maple 12 S 50 E 23 & a Cht oak 18
N 55 E 35

East 6th Mile

38.50 bk 8 S. E.

39.00 No. 30

40.00 2^d S. post a No 16 S 46 E 33 & a

No 15 N 76 W 54

Very high poor hills
timber pine Oak
Chest.

level good Oak
land

10 19th day of August 1886

East 6th mile cont,

49.70 beech & } Generally
91.00 to Clark Creek }
66.00 No 36 } pretty good Oak
71.00 bk. 20 }
77.00 do 3 NW } land
Set post from north
80.00 set a post for the corner
of townships 48 & 49 in Range
of a N. Oak 8th N 51 E 16th dist.
687 from which a No 40 N 17 W
408 a No. 18 S 12 E 43

Var. 5.52 E

North first mile between Ranges

647 S. 282 N. R 687 East
1.50 bk 3 NW } poor Oak points
19.00 do 3 S. } Set post from which
13.30 leave this point } N. Oak 7 N 72 W 19th
40.00 W. S. post a No 10 S 59 E 6 & a No
12 N 33 W 26
59.00 No 12 } thin Oak land
80.00 post corner to 25436 in T. 2
R. 6 a No. 12 N 57 W 19 & a Ch. 0,
15 S 1 E 29

Between Ranges 6 & 7

North 2nd mile between T. 2 & 2

7.50 Ch 3 N, E } poor pine hills
10.00 No. 15 }
15.00 Ch. 3 NW }
19.00 S. 20 E. }

40.00 D. S. post a yellow pine 8
N 35 E 4 & a No. 10 S 80 W 30

46.00 Ch 3, S, E. }
48.00 S. 3. S. } poor pine hills
52.00 No. 14 }
57.30 yellow pine 15 }

73.00 No. 15 on the top of the high
est hill in all this country

80.00 post corner to sects 24 & 25 a Ch. 1
S. south 14 & a yellow pine 12 N 14 E 50

North between T. 2 & 2 R. 6 & 7. 3rd mile

29.50 Ch. 10 18 } poor pine hills

40.00 D. S. post a No. 13 N 3 W 10 & a
pine 6 N 38 E 22

50.00 Ch 3 & W } poor pine hills

60.00 old Indian path, course N.W

13 North Between Ranges 6 & 7

80.00 set a post for the corner of sect.
13 & 24 T. 2, R. 6 & No. 15 S. 39 N 23
& a maple 8 N 81 E 27 c

20th of August 1866

North 4th Mile T. 2

3.50 bk 10 N.E. } Rich bottom land
33.00 bk 30 E } timber beech Elm poplar
40.00 2nd S. post a beech 12 S 70 E 43 & a
beech 12 N 55 W 43
54.50 No. 16 } generally good meadow
64.00 bk 3 E } land, timber beech Elm &
80.00 post corner to sect. 11 2 & 13 T. 2, R. 6
an Ash 6 S 82 N 22 & a No. 8 & 17 N
33 c

North 5th Mile T. 2, R. 6 & 7

34.00 No. 8

40.00 2nd S. post a No. 10 N 58 E 12 & a
No. 10 S 24 E 13

Townships N^o 2 & 3

14

58.00 bk 6 N, E

This mile passes through fallen timber the whole way very thick with aspen bushes & grape vine —

80.00 set a post corner to sec 1 & 12
T2, R6 a No. 6 S 50° W 43 La No.
18 N 24 E 51 —

North 6th Mile T2, R6 & 7

25.00 poplar 10 } bushes fallen timber

40.00 T. S. post a bush 16 S 49⁴⁹° W 17 & a
beech 12 N 13° W 22

55.00 loopt bk NW

62.00 D^o D^o D^o

63.00 poplar 30. e

64.00 bk 4 N E

kept down it

75.00 left bk. N, W

Generally good

Dark land

80.00 set a post for the corner of
Townships 2 & 3 in Range 6 & 7

15 North Between Townships 3 & 3

a gum 16 N 70 W 22 & a NO 18
N 54 E 24

North ^{Var. 5° 50' E} first mile between T 3 & 3 R 6 & 7

4.00 bk 4 N. E kept down it cropping it
11.00 left bk running N E
23.50 No. 18 T 3
40.00 2^d S. post a NO. 36 S 40 W 8 & a
gum 7 N 61 E 26
57.50 poplar 40 } pretty good Oak
64.00 bk ¹⁵ N. E. } land
80.00 post corner to 25 & 36 T 3 R 6 & 7
beech 24 S 52 E 16 and a hick 8 N 53
W 25

North 2nd Mile T 3 R 6 & 7

5.50 NO 36 } poor level Oak land
40.00 2^d S. post a poplar 6 S 70 E 13 &
a beech 15 N 10 E 16
50.00 bk 6 N E } level poor land, timber
63.80 beech 16 } Oak beech &

Ranges N^o 6 & 7

16

80.00 post corner to sects 24 & 25 T₃,
R₆, a Gum 16 S₉ W₁₇ & a beech 24
N₇ E₃₄ —

North 3rd Mile T₃, R₆ & 7 —

17.85 bk 24 } generally good level
35.00 beech 16 } land timber oak beech &
40.00 2nd S. post a beech 20 S₈₀ W₅
 & a poplar 18 N₇₅ E₂₉ ...
57.00 bk 5 N, E, } good level land.
61.00 beech 16 } timber oak poplar &
80.00 set a post for the corner of sects
 13 & 24 T₃, R₆, a hick 14 N₆ W₁₄
 50 & a beech 15 S₃₀ E₅₈ —

21st of August 1806

North 4th Mile T₃, R₆ & 7 —

17.50 bk 3 N E } pretty good oak
33.80 beech 14 } land —

17

North between T. N^o 3 & 340.00 2^d S. post a poplar 14 N 27 W 6

to a poplar 16 South 16

53.00 Oak 30 & W } wet land. timber

54.25 Oak 30 } beech Elm &

80.00 post corner to S 12 & 13 T 3 S 6

an Ironwood 6 N 61 W 6 & a beech 18

N 71 E 33

North 5th Mile T 3, R 6, & 734.00 Elm 18 } Maple swamp the
whole way40.00 2^d S. post a maple 12 N 70 W 12

to a Maple 6 S 81 E 30

55.40 Maple 12 } maple swamp

80.00 post corner to 14 12 T 3, R 6 &

No. 36 S 10 E 4 & a gum 12 N 10 W 40

North 6th Mile T 3, R 6 & 716.00 to a large branch of White river
1/2 wide running N W

Maple swamp

Ranges No 6 & 7

18

40.00 2^d S. post an Elm 12 N 76 W 12 &
a No. 12 N 84 E 20

50.00 quit the swamp

59.00 bk 3 W } A beautiful flat of

60.00 No. 16 } beech & sugar tree land

80.00 set a post for the corner of town
3 & 4 in Ranges No 6 & 7 from
which a beech 8 bears N 42 W 11
& a beech 12 S 3 W 59

North first v. 5.50. E
first mile between Ranges
6 & 7 Towns 4 & 4

10.00 bk 15 W } good level land

13.00 gum 30 } Timber sugar &c

40.00 post a beech 20 N 57 W 25 & a
No. 6 S 40 E 12

62.00 bk 3 S, E } low flat land, rich,

76.00 No 40. } timber beech Elm &c

80.00 post corner to 25 & 36 24 N. 6. a gum
24 N 70 E 26 & a beech 24 S 73 W 32

North 2nd Mile T. 4 R. 6 & 7

20.00 bk 3 SW } level rich land, timber

37.25 No. 12 } beech ash oak &

40.00 2nd S. post a gum 24 S 82 W 25 &

a beech 18 N 49 E 37 —

51.00 bk 4 W. } level rich land, timber

79.20 poplar 45 } beech poplar ash &

80.00 gum 36 N. B. corner to sect. 32 & 4

25 T. 4 R. 6. a hick 15 S 45 E 20 &

a beech 16 N 18 E 48. —

North 3rd Mile T. 4 R. 6 & 7

15.00 bk 3 W } level beech land

28.00 beech 14 }

40.00 2nd S. post corner a beech 12 N 22 W

17 & a beech 12 S 80 E 27

45.00 bk 3 W } part beech & part

60.00 No. 36 } swamp land

61.00 entered swamp }

80.00 post in swamp corner to 13 & 24 a

gum 8 S 64 E 19 & a maple 10 S 56 W 13

Ranges N. 6 & 7

20

North 4th Mile S. 4. R. 6 & 7

39.00 poplar 36 } Maple swamp

40.00 2^d. S. post a beech 12 N 24 W 7 &
an Elm 14 S 63 E 11

72.00 Ck. 100 ft running NW

this line passes over pretty
good bottom, but to pieces
with guts —

80.00 post corner to 12 & 13 a beech
12 N 87 E 19 & an Ironwood 6 N 78 W 23

22nd day of August 1806

North 5th Mile S. 4. R. 6 & 7

11.50 bk 10 W } wet bottom land, but

28.50 poplar 16 } to pieces with guts —

40.00 2^d. S. post a gum 12 S 80 E 6 & a W.
18 N 60 W 14 } wet bottom land

58.00 S. side of a pond } timber beech Elm

64.00 N. 50° } — 3.00 bk wide

69.50 Main branch of White river S. W.

21 East between Townships 3 & 4

80.00 post corner to sect 14 12 a beech
14 N 43 E 17 4 a beech 12 S 30 W 15 c

North 6th Mile T. 4, R. 6 47

10.00 bk 3 E } level rich beech &
32.00 150 36 } poplar land

40.00 D. S. post a beech 20 S 75 E 14
4 a beech 18 S 74 W 15

43.00 bk 3 E } level land timbered
44.40 poplar 50 } with beech poplar
44.75 poplar 50 } do

80.00 set a post for the corner of T. 4 45
in R. 6 47 from which a beech
16 S 18 W 45 4 a beech 14 N 63 E 31

Return to the corner of T. 3 & 4
in Range 6 47 var 5.50.6

East trap line between T. 3 & 4 R. 7

Over a beautiful beech flat

40.00 D. S. post a W. 0.12 S 24 W 13.4 a
beech 14 N 74 E 27

Range 7 Base line

22

61.40 beek 15 } level rich land
 67.00 bk 3 N } timber beek poplar &
 80.00 post corner to sett 31 & 32 T 4 R 7
 a beek 16 S 85 E 4 & a beek 18 S 5 W 4

East 2nd Mile Base line T 3 & 4 R 7
 21.00 bk 3 S } level rich land, timber
 31.70 W 2 1/4 } beek sugar tree poplar &
 34.00 bk 3 S }
 40.00 D. S. post corner to sugar 12 1/2
 S 26 W 9 & a beek 18 N 67 E 21
 41.00 bk 6 S W } level rich land, timber
 60.50 hick 18 } beek sugar ash &
 80.00 post corner to sett 32 & 33 T 4 R 7
 a beek 30 S 23 1/2 W 1/2 E & a gum 6 N 9 E
 S 30 E

East 3rd Mile Base line T 3 & 4 R 7
 over rich level land timber beek
 ash sugar &
 40.00 D. S. post a beek 16 N 9 W 18 &
 a beek 10 S 17 W 41

23 East Between Townships 3 & 4

49.60	beech 28	} level rich land timber Oak beech. poplar &c
50.00	bk 3 S.	
70.60	beech 12	
75.00	bk 3 S	
80.00	part come to sects 33 & 34 a beech 30 S 23 W 38 and a beech 16 N 32 E 59	

East 4th Mile between T. 3 & 4 R. 7 by baseline

2.00	bk 3 SW	} Rich level land timbered with Oak beech sugar &c
11.00	beech 13	
30.00	bk 3 SE	
39.60	beech 10	
36.50	bk 6 S.	
40.00	D. S. part an Oak 48 S 38 W 10 & a beech 20 N 82 E 34	
46.00	bk 5 S.	} Rich level beech land
62.00	S 3 S	
80.00	set a post in a brook 15 ft wide running S. W. corner to sections 34 & 35 in T. 4. R. 7. a beech 15 East 24 & a beech 12 N 42 W 47	

Range 7 Base line

24

East 5th Mile Base line T 33 44 R 7 —
 6.00 beech 16 } level rich land timber
 30.00 gum 18 } beech poplar &c
 40.00 D. S port a beech 30 N 62 W 24 &
 a sugar tree 14 S 4 W 41 —
 55.50 beech 24 } level rich land timber
 78.50 bk 6 S } Oak beech &c
 80.00 port for the corner of 35 & 36 a
 hick 8 N 27 E 15 & a beech
 10 S 47 W 32 —

23rd of August 1806 Contd.

East 6th Mile between T 33 44 R 7.
 20.00 bk 6 S W } level good Oak land
 40.00 D. S port a hick 12 S 24 E 34 &
 a beech 12 N 14 E 50
 75.00 bk 3 S } level Rich Oak Land
 80.00 set a port for the corner of Town
 3 & 4 in Ranges 7 & 8 a hick 14
 S 82 W 15 & a No. 24 S 68 E 30 —

25 North between Ranges 7 & 8

var 5.50. E

North first mile between T. 44.4. N. 7.8

20.78 beech 14 } generally good level

25.00 bk. 3 SW } Oak land

40.00 W. S. post a beech 12 N 33 E 39 & a
gum 24. S 11 E 39

51.60 beech 15 } level rich land

53.00 bk. 10 NW } timber oak ash

73.70 hick 7 20 } beech &

80.00 post corner to 25 & 36 an oak 12
S 46 W 11 & an Elm 18 N 46 E 13

North 2nd Mile T. 44.4. N. 7.8,

10.00 bk 3 NW } generally good

23.00 S. 20 NW } Oak land

~~39.50 bk 3 SW~~

40.00 W. S. post a beech 30 ~~155 E~~

~~4 a beech 4 N 49 W 55 E~~

4 a beech 15 N 53 W 49

44.50 bk. 3 SW

Townships N. 4 84

26

55.38 beech 24 } Rich oak land

80.00 post corner to 24 & 25 T4 R7 &

poplar 36 S19 E17 & a sug. 10 S 34 E 42

North 3rd Mile T4 R7 & 8

25.70 beech 18 } uneven land, timber

30.00 bk 20 W } Oak, poplar beech &

40.00 D. S. post a beech 8 S70 E12 &

a beech 30 S86 W20 &

47.00 bk 3 W } Ridgy Rich land, timber

67.00 L^o 15 W } Oak sug. beech &

80.00 post corner to sect. 13 & 24 T4 R7

a beech 20 S88 W17 & a beech 18 N40

E26 bk dist

North 4th Mile T4 R7 & 8

7.89 sugar 18 } Generally good land

12.00 bk 15 W } timber beech sug

33.00 beech 15 } &

40.00 D. S. post a beech 3 S11 E20

& Oak Elm 18 N11 W31

27 North between Ranges 7 & 8.

56.70 W 0 40 } good Oak land

80.00 post corner to 12 & 13 T 4 R 7

a beech 24 N 6 W 50 & a beech 18

to 6 W 40 —

North 5th Mile T 4 & 4 R 7 & 8

4.17 ash 24 } Rich land timber

+8.00 b.k 12 N W } Oak beech sugar

40.00 post a beech 16 S 1 E 27 & a beech

12 N 11 W 37 —

52.00 b.k 3 W } wet low land timber

58.80 beech 14 } beech Elm &

73.00 b.k 4 W

80.00 post corner to 1 & 12 T 4 R 7 a

beech 20 N 63 E 6 & an Elm 12

N 39 W 36 —

North 6th Mile T 4 & 4 R 7 & 8

30.00 Ash 24 } pretty good brushland

32.50 River 220 b.k. running West

40.00 20 S. post an Elm 16 S 8 E 29 & a sugar

12 N 27 W 27

63.50 Ck. 100 W.

Between the creek first rate land
N. of the last Ck the bottom over flows
timber beech sugar Ash &c

80.00

set a post for the corner of
towns 4 & 5 in R. 7 & 8
beech 14 S 57 W 14 & beech 14 N 24 E 28

24th of August 1806 from
the corner of towns 4 & 5 N 7 & 8

~~West~~
~~East~~

Random line between T. 4 & 5 R. 7

3.00	Ck 3 S	} Good land & all good water timber Ck beech &c
15.00	Spring S.	
20.00	Do S S	
33.00	Ck 3 S W	

40.00 tempy post

41.50 Ck 20 S } Uneven rich land timber

55.00 Do 3 S. } sugr & beech &c

80.00 tempy post

West Rm line 2nd Mile T. 4 & 5 R. 7

West Random line between T₄ & 5 R₇

15.00 River 2.50 lks. S.W.

40.00 temp^y port

45.00 part of the river running N.

68.50 River 3.00 lks. S.W.

This mile passes over rich bottom land
over flows in time of high water

80.00 temp^y port

West 3rd Mile Rm. } overflowed

20.00 River North } bottom

40.00 temp^y port

45.00 Come to the river & kept down it

55.00 left river running S.W.

80.00 temp^y port

West 4th Mile Rm.

40.00 temp^y port } broken with cuts

52.00 lks. S. } timber been

76.00 S. 3 S } Elm &

80.00 temp^y port

West Random line between 34 & 507

West 5th Mile Random

17.00 bk 3 S } pretty good beech land

40.00 tempy part

Wet beech flat

80.00 tempy part

West 6th Mile Rm

25.00 bk 10 S W } Over flowed bottom

34.00 D^o 8 S } timber beech

40.00 tempy part

Over pretty good beech land

80.00 Intersected Range line 1.00 bk

North of the corner to towns

4 & 5 of Ranges 6 & 7

var. 5.50' E.

Corrected & Marked the line East
first mile between towns 4 & 5

40.00 R^o set 2^d set post on true

line an Ash 12 1/2 1/2 3/4 & an Elm 8

Corrected East between towns

N60W39 —

80.00 set post on true line for the
corner of 31 & 32 T5 R7, a poplar 14
N35W17 & a beech 30 S48E24 —

East
40.00 2^d set post ^{on} for ³² set, ³³ a beech 18
N24W20 & a poplar 40 S30E27 —

80.00 set a post for the corner of 32 & 33
T5 R7 a beech 12 N43W10 & a beech
18 S22E21 —

East
40.00 2^d set post ^{on} for ³³ set, ³⁴ a beech
S57W22 & a beech 14 N62E26 —

80.00 set a post for the corner of 33 & 34
T5 R7, a birch 14 S16W25 & an Elm
8 N81E45 —

East
40.00 2^d set post ^{on} for ³⁴ set, ³⁵ a poplar
50 S25E12 & a sugar 24 N28E21 —

80.00 set a post for the corner of set
34 & 35 T5 R7 a hickory 9 S43W18
& a sugar 10 N57E34 —

485 of Range No. 7

32

East 4000 ^{on line 35} 2^d set post for set 35 a sugar 12
N23 W19 & a beech 12 2 1/2 826

8000 set a post for the corner of set 35
436 35 N7, a sugar 10 N24 E10
& a beech 24 S33 W20

East 4000 2^d set post for set 36 a beech 40
8000 S60 W13 & a beech 30 S75 E32

August the 25th 1806

var. 5.50. E
from the corner of 3384 in N708

East first mile between Towns 384, N8;
trapline

33.00 W030 S01 } good level land

36.00 bk 3 NE } timber Oak beech

40.00 2^d set post a beech 12 S83 E19 & a
beech 16 N79 W46

66.50 bk 3 N } pretty good oak land

80.00 post corner to 31 & 32 34 N8 a beech
18 S39 W16 & a poplar 6 N65 E28

33. East base line between

East 2nd Mile between T3 & 4 R8

11.50 bk 3 W } pretty good Oak
20.70 beech 12 } land
36.00 poplar 60 }

40.00 W. S. post a R 24 N 54 E 20 ft a R 12
S 82 W 43

76.50 Indian path appears to cross at ^{right} angles
fallen timber thicket

80.00 post corner to sections 32 & 33 T4
R8. a hick 18 S 14 W 19 Va R 30.30
N 56 62

East 3rd Mile T3 & 4 R8 base line

14.60 hick 36 } fallen timber thicket

40.00 W. S. post a gum 18 N 60 W 15
S a gum 16 N 78 E 24

Towns 3 & 4 of Range 8

34

59.30 poplar 36 } level rich land timber
 72.30 do 30 } Oak poplar &c
 80.00 post corner to 33 & 34 T4 R8
 a poplar 30 S51 W11 & a gum
 18 N62 E41

East 4th Mile T3 & 4 R8. Kaphine

26.30 poplar 36 } good level land
 timber Oak & poplar

40.00 D. S. post a 40 24 N84 W24 & a
 & a poplar 18 S82 E31

level thin Oak land

80.00 post corner to 34 & 35 T4 R8 a beech
 10 S85 W7 & a beech 16 N60 E50

August the 26th 1806

East 5th Mile between Towns 3 & 4 R8

00.10 bk 10 N } uneven land timber
 5.00 do 10 N } Oak beech &c
 81.70 poplar 36

East base line T. 344, R. 8.

35.00 bk. 3 N

40.00 D. S. post a 40.30 N 63 W 17 & a
beech 12 S 55 E 34 e

56.00 bk 3 N } generally good Oak

56.95 beech 10

65.00 bk 5 N W

land e

80.00 post corner to 35 & 36 in T. 4. R. 8 a

poplar 36 N 15 E 23 & a beech 16 S 37
E 36 eEast 6th Mile between T. 344 R. 8 base line

22.00 bk 3 N } uneven land, timber

22.77 poplar 16 } Oak beech poplar &c.

40.00 D. S. post a beech 14 N 63 E 16 & a
beech 14 S 53 W 24 e

43.00 bk 10 N W } level land, good soil

55.30 beech 15 } timber Oak beech poplar

80.00 set a post for the corner town 344

Range 849 a beech 12 N 3 E 21 & a poplar
24 S 17 W 44 e

North between T444 R889

var. 5° 50' E
North first mile between towns 444

Ranges 889

16.50 poplar 12 } pretty good Oak land

40.00 post a No. 24 S20E22 & a No. 24
N8W24

54.50 No. 36 } poor burkey Oak
77.00 bk 4 NE } land

80.00 post corner to 25 & 36 T4 R8 a beech
12 S63E16 & a beech 12 N78W19

North 2nd Mile T444 R889

12.00 bk 3 E } poor uneven land

18.00 gum 14 } timber Oak beech &
32.00 beech 9 }

40.00 2nd S. post a poplar 12 S33E17 & a
No. 15 N81W23

47.00 bk 3 E }
Oak level land timber Oak & ash

80.00 post corner to 24 & 25 T4 R8, a No.
12 S43E25 & an ash 6 N28W10

North 3rd Mile T444 R889

37 North between townships 4

- 10.00 Creek 75 W Rapid } Rich land timber
 30.00 Do 75 E Do } sugar beech Elm
 up a steep high bank
 40.00 D. S. part a beech 18 S 58 W 13 & a
 sugar C N 48 E 18 c
 48.00 Creek 75 W Rapid } steep rocky hills
 60.00 Do in E in } timber beech
 71.00 Do in W in } sugar beech
 80.00 part for the corner of sects 13 & 24
 14 S 8 a beech 18 S 21 E 20 & a beech
 13 N 51 E 19 c

North 4. th Mile T4 & 4 R 8 & 9

- 8.00 Creek 2.00 W } hilly rich land
 22.20 Lynn 15 c } timber sugar beech
 40.00 D. S. Part a beech 12 S 22 E 13 & a
 beech 9 N 16 E 30
 48.00 bk 3 S. } hilly beech land c

44 of Ranges 8 & 49

53.80 beech 30

80.00 post for the corner of 12 & 13

T4 R 8 a beech 9 S6 W9 & a beech
7 N6 E43 eNorth 5th Mile between T³ 44 R 8 & 4916.70 beech 18 } beech flat wet land
23.00 bk 3 W }40.00 D. S. post a beech 12 S8 E13 &
a beech 8 N8 W22 e

51.50 bk 3 W } hilly poor land, timber

75.50 D. 15 W } beech sugar &c
kept up it

80.00 post in the brook corner sec. 1 & 12

T4 R 8 a beech 8 N82 W39 & a sugar
more 40 N89 E48 eNorth 6th Mile T4 R 8 & 49

0.50 left bk to the E.

30.00 ash 16 } rich land timber beech
sugar &c ash &c40.00 D. S. post a beech 10 S4 W15 & a beech
18 S44 E25 e

39 West Random line between

45.50 bk 4 & 1 } level land, timber

50.00 beech 24 } Beech Oak &c

70.00 NW 30 }

80.00 set a post for the corner of
towns 4 & 5 of Range 8 & 9 from
which a beech 12 N. 37 W. & a
beech 6 S 49 E 10

August the 27th 1806

West Random line between towns 4
& 5 of Range 8

15.00 bk 5 SE kept down bk. crossing it

27.00 left bk running N. W.

Generally broken land, timber

beech Oak &c

40.00 tempy 2^d S. post

50.00 bk 5 S. uneven beech land

80.00 tempy set posts

West Random line T 4 & 5 R 8

Townships 4 & 5 of Range 8⁴⁰

	poollen timber land
40.00	temp/ 2 ^d S. post
58.50	bk 20 S.W. } Rich land, timber
65.00	loopt bk } beech sugar tree &c
80.00	temp/ post

West 3 rd	Mile Random line
29.00	bk 3 ^d S.W. } Rich land timber beech sug. &c
40.00	temp/ 2 ^d S. post
77.00	bk 20 S.W. } Rich hilly land timber beech & sug. &c
80.00	temp/ post

West 4 th	Mile Random
	Rich land timber. Sugar tree beech walnut &c
40.00	temp/ 2 ^d S. post
57.00	Creek 120 ft. } first water land timber sugar beech &c
80.00	temp/ post

West Random line between T445 R8

West 5th Mile Random line

15.00 bk 5 S } Rich level land, timber sugar

40.00 temp 7/4 sec } beech ash &c

43.00 bk 3 S } Rich level land,

53.00 bk 3 S } timber, sugar beech &c

80.00 temp 7 post

West 6th Mile Random line

5.00 bk 2 NW } level Rich land,

22.00 bk 3 NW } timber Oak beech

39.00 Creek 75 SW } sugar &c

40.00 temp 7 2^d S P

Rich bottom land timber sugar
beech &c

79.00 fell 14 bks south of the corner
to towns 4 & 5 of Range 7 & 8

var 5.50' E
Corrected East between towns 4 & 5
of Range 8, moved West post on

42

Connected East between T. 4 & 5 R. 8

	<p>true line at the average distance (Wig) a 39.50 from which a dynamore 36 S 20 E 40 & a box elder 10 N 50 E 41</p>
79.90	<p>moved post on true line for the corner of 31 & 32 T. 5, R. 8 a beech 18 N 59 W 16 & a beech 16 S 43 E 60</p>
East 40.00	<p>2nd ^{on sec. 32} set post for sec. 32 T. 5, R. 8, a beech 15 S 52 W 16 & a beech 18 N 42 E 24</p>
80.00	<p>Set a post for the corner of sec. 32 & 33 T. 5, R. 8 a sugar tree 12 N 32 E 24 & an ash 30 S 66 W 34</p>
East 40.00	<p>2nd ^{on sec. 33} set post for sec. 33 a sugar 18 N 60 E 11 & a sugar 36 S 36 W 32</p>
80.00	<p>Set a post for the corner of 33 & 34 T. 5 R. 8 a beech 12 N 8 E 4 & a sugar 18 S 63 W 37</p>
East 40.00	<p>2nd ^{on sec. 34} set post for 34 a beech 6 N 37 W 8 & a cherry 30 S 30 W 30</p>

43

corrected East between T485 R8

20.00 set a post for the corner of 34 & 35
 35, R. 8, a beech 14 N 75 E 6 & a
 beech 15 & 36 N 33

East 40.00 D. S. post for set 35 a sugar
 14 N 88 W 7 & a beech 16 N 60 E 49

20.00 set a post for the corner 35 & 36
 35, R. 8, a beech 16 & 10 N 10 & a beech
 12 N 36 E 33

East 40.00 D. S. post for set 36 a beech
 12 & 66 N 44 a poplar 12 N 62 E 25

80.00

Town corner

August the 28th 1806from the ^{var 5:50. E} corner of town

3 & 4 of Ranges 8 & 9 ran

East first mile between towns

3 & 4 of Range 9, Oak line

10,80 Pro. 30 } level rich land timber
 Oak beech poplar &

East. Back line Range 9

44

40.00 P. S. post a No. 50 East 16
 & a beech 16 N 80 W 30
 62.40 beech 8 } level poor land, small
 77.20 No 16 } beech & whiteoaks
 80.00 post corner to sects 31 & 32 T. 4 N. 9,
 a beech 7 & 74 E 13 & a No 40. N 30.
 W 28

East 2nd Mile between T 3 & 4 N. 9

22.00 No 36 } land of a middling quality
 } timber, with oak & hick
 40.00 P. S. post a beech 6 S 60 E 9 & a beech
 30 S 83 W 44
 46.00 beech 6 N } first rate land, timber
 51.50 beech 12 } beech, sugar, walnut
 71.90 Ark 36 } Ark
 80.00 post corner to sects 32 & 33 T. 4,
 N. 9 a beech 14 West 26 & a
 beech 18 S 34 E 31

East between T 3 & 4 in N. 9

45 East Base line Between

20.25 beech 16 } level land good soil

24.00 bk 3 S } timber oak beech &c

40.00 D. S. post a 180.50 North 16 4 a
beech 16 S 35 E 18 c

63.40 gum 16 } level land, timber
beech gum oak &c

80.00 post corner to site 33 & 34 T 4 R 9
a gum 6 N 30 W 31 4 a 140.30 S 52
E 39 c

East 4th Mile }

28.00 beech 12 } level beech land

40.00 D. S. post a beech 15 S 78 W 28
and a gum 20 N 58 E 27 c

64.50 beech 15 } level beech land

77.00 bk 3 S }

80.00 post corner to 34 & 35 T 4 R 9 a no
12 S 85 W 30 4 a beech 16 N 59 E 13

Towns No 3 & 4 Range No 7⁴⁶

East 5th Mile T344 R9 base line
 13.50 bk 3 S. } level land good soil
 17.50 poplar 28 } timber beech Oak &c
 40.00 2nd S. post a poplar 16 S64 W11
 Ha beech 12 N85 E 37
 60.00 No 60 S. } generally good land
 65.00 Creek 40 S. } timber Oak beech &c
 80.00 post corner to 35 & 36 T4 R9 a
 beech 12 S79 W27 Ha beech 12 N
 66 E 38 &c

East 6th Mile
 16.00 bk 4 S } level rich land
 18.60 No 30 } timber beech Oak,
 38.50 bk 6 S } poplar &c
 40.00 2nd S. post a beech 14 S39 E 24
 Ha Hick 14 N46 W32 &c
 55.00 bk 15 S W } rich level land, timber
 65.50 Cherry 12 } Oak beech poplar &c
 80.00 post for the corner of towns 3 & 4 of
 R. 9 & 10 a S. 18 W10 Ha No 9 N3 W35

47 East Between townships

var. 5° 50' E.

East first mile between towns 38 & 4

of Range 10 Base line e

20.00 bk 3 S. } land almost perfectly

22.50 beech 6 } level timber beech Oak
hickory

40.00 Post at a beech 12 S 3 E 6 & a

maple 16 N 52 E 31 e

60.00 beech 16 } level rich land timber

65.00 bk 5 S. } Oak beech walnut &c

80.00 post corner to 31 & 32 T 4 N 10 a

walnut 18 N 31 W 45 & a beech 12 S

50 E 42 e

East 2nd mile } Rich silling ground

27.20 Buckeye 24 } timber sugar ash &c

40.00 post a Buckeye 18 N 41 W 29 & a

Elm 24 S 71 E 33 e

August the 29th 1806

Cont East 2nd mile

61.50 Sugar 8 } the Ohio River bottom

62.00 bk 10 S. } timber sug & ash &c

N^o 344 of Range N^o 10⁴⁸

80.00 post corner to 32 & 33 T⁴ R¹⁰
a hick 10 S 65 E 16 & a walnut 20
S 32 W 47

East 3 rd Mile	} first rate river bottom timbered with sugar trees walnut ash &c
5.00 creek 40 S	
7.80 sugar 10	
30.00 cut south	
32.00 do do	
32.38 honey locust 30	
40.00 D. W. post a maple 20 N 72 W 20 a Proxelder 18 48 E 15	
42.00 bk 20 N	
45.00 do do S	
51.60 beech 24	
80.00 post corner to 33 & 34 T ⁴ R ¹⁰ a poplar 16 N 61 W 21 & a beech 24 S 85 E 47	

East 4th Mile } River bottom timbered
sugar beech burkys

49 East between towns No. 3 & 4 off

40.00 20 S. post a sugartree 12 South
 5 & a sugartree 6 N 29 E 19 a
 48.90 Beech 24 } level rich up land
 timber sugar Beech oak
 80.00 post corner to 34 & 35 T 4 R 10 a
 beech 9 S 76 N 16 & a beech 30 S 70 E 48

East 5th Mile

12.90 Buckeye 12 } Rich bottom land
 23.20 beech 24 } timber sugar beech
 oak &c

40.00 post a beech 16 N 76 N 30 S a
 Buckeye 12 S 50 E 28 a

48.00 b.h. 3 N W } 20 Ch. of Rich bottom
 kept up it Ballance a very high

55.00 left the b.h. N hill, timber sugar

55.90 Sugartree 6 } beech oak &c

80.00 post corner to 35 & 36 T 4 R 10
 a sugar. 5 S 81 N 24 & a sugar 12 N 79 E 35

East 6th Mile

Range N^o 10. Trapline

10.00	bk 3 SW	} 20 bks steep hill side residue locust, timber sugar oak hick &
26.30	beech 18	
40.00	D. S. post a beech 10 N 43 E 11	
	Oak beech 36 N 75 W 37	
55.00	bk 4 SE	} steep rich hills timber sugar, walnut,
66.00	D. 4 S.	
80.00	post for the corner of towns	
	3 & 4 in Ranges 10 & 11 a Synn	
	14 S 26 W 11 an ash 14 N 6 E 12	

Var. 5° 50' E.
East first mile between towns 3 & 4 of
Range 11

8.50	W. 36	} hilly rich land timber sugar oak hick &
26.75	hackberry 16	
40.00	D. S. post a package 12 N 64 W 13	
	Oak mulberry 6 N 66 E 25	
50.00	beech 50 S	} hilly rich land. timber sugar tree Walnut &
58.50	bk 5 S W	
64.80	hick 15	

51 East between towns 3 & 4 of

80.00 post corner to 31 & 32 T4 & 11
a beech 16 S 70° N 20° & a sugar tree
14 N 70° E 40 ~

East 2nd Mile } Steep sidling ground
34.25 Blue Ash 18 } timber sugar Elm &

40.00 set post a Mulberry 9 N 85° E 8
& an Elm 7 N 73° W 8 ~

45.00 set a post on the bank of the Ohio
River from which an Elm 10 bears
N 85° E 14 & a persimmon 10 S 36° W
25 lks. dist. ~

Note the direction of our base line only
cuts a bend of the river I therefore
think it best to meander the river
until we fall into our base line
above the bend ~

courses and distances of the
river from the post on the bank
up the river ~

Range No. 11 Base line

52

N75 E	37.00	} A high steep hill comes in close to the river, timbered with sugartree ash &c
N80 E	40.00	
N87 E	53.00	
East	19.50	
S83 E	42.00	
S78 E	68.25	set a post on the bank of the river for our
base line, a W. 20 S 71 W 13 & a		
Lynn 12 457 E 11		

East on our trap line

19.00 set a post for the corner of sec
35 & 36 T4, R. 11 an Elm 30 N 50 W
8 & a sugartree 8 S 82 E 25 c
September the 1st 1806

East 6 ^{the} Mile T4 S R. 11, E

11.75 hickory 8 } steep' siding ground
15.00 bk 6 S } timber sugartree &c

53 East between towns 3 & 4

40.00 D. S. part a 440.12 N 86 W 1/4 & a
honey locust 30 S 86 E 26
52.00 Sycamore 18 } Rich bottom land
55.00 Swamp W. side } timber sugar
64.00 E. side of swamp } beech ash &c
80.00 set a post for the corner of towns
3 & 4 in Range 11 & 12 a beech 30
N 11 W 8 & a beech 12 N 82 E 39 e

val. 5.50' E.
East between towns 3 & 4 Range 12
first mile, trap line

20.00 Indian Kentucky 3.00 bk. S W
27.30 Walnut 24 } part hill & part
33.50 bk 3 N, } bottom timber
38.00 D° 3. D° } beech sugar &c
40.00 D. S. part a beech 6 S 5 W 1/4 & a
Sugar & N 11 W 8 e
54.00 bk 5 N } hilly rich land, timber
sugar ash Oak &c
80.00 post corner to 31 & 32 T 4 R. 12 a
sugar 9 N 26 W 4 & a sugar 10 S 37 E 26

Range No 12

54

September the 2nd 1806

East 2nd Mile

15.50 bk. 3. NW } hilly rich land
17.60 Walnut 15 } timber sugar
40.00 D. S. post a sugar tree 96 70 W }
21.4 an ash 6 S 72 E 23 }
50.00 hick 7 15 } hilly rich land timber
80.00 post corner to 32 & 33 T. 4 R. 12 an }
ash 6 S 70 W 6 4 a sugar 12 N 38 E 14.

East 3rd Mile

Rich hilly land timber sug. ash
40.00 D. S. post an ash 18 N 26 E 25
3 a hick 7 12 S 51 W 37 }
48.48 Walnut 9 } hilly rich land,
51.50 bk 3. S. } timber sugar ash &c
73.00 bk. 5 S. }
80.00 post corner to 33 & 34 T. 4 R. 12
a locust 6 N 43 E 4 4 a sug 6 S 56 W 2 4

East 4th Mile T 3 & 4 R 12 base line
 12.00 bk 4 S W } hilly rich land, timber
 15.00 S 2 N W } sugar Elm ash &c
 18.80 hick 16 }
 34.50 set a post in the old Indian
 boundary line corner to towns
 3 & 4 of Range 12 a hick 10 S 5 W
 17 & a sugar tree 10 N 80 W 16

With the Boundary line

N 12 E it is uncertain whether this course is
 correct as the line very crooked

25.80 to a corner Number, R. 4, T 2 S 23 & 24

28.46 to a corner ——— R 4, T 2 S 13 & 24

31.58 to a beech 20 T. J. marked 4 ^m

Returned to the corner of T 3 & 4 R 12 ^{118 W 2}

South between Ranges 11 & 12 towns 3 & 4
 of var. S. 180

17.50 Indian Hen 4.00 S. W.

36.30 hickberry 18 } rich land, broken with cuts
 timber sugar beech &c

40.00 2^d S. post a harkberry 30 N 33 E
 4 & a buckeye 6 S 47 W 25 e
 53.70 ash 16 } part hill & part river
 61.50 bk 20 W } bottom timber sugar
 65.00 loopt bk above ash Elm &c.
 80.00 post corner to sects 1 & 12 T₃ R₁₁
 & corner to sects 6 & 7 T₃ R₁₂ an
 ash 30 N 58 E 17 & a beech 36 S 48
 W 74 e

South 2nd Mile T₃ R₁₁ & 12

5.50 set a post on the bank of the
 Ohio River from which a sugar
 14 N 15 E 21 & a cherry 10 S 22 E 26

September the 3rd 1806

N 5:50 E

North from the corner of towns 3 & 4
 of Range 11 & 12 first mile
 14.00 ash 16 } bottom land timber
 17.00 bk 4 E } sugar beech ash &c

57 North between towns 4 & 4

40.00 D. S. post a beech 16 S 58 E 43
 & an Elm 16 N 46 W 28. e

56.00 beech 4.00 S E } Rich bottom land
 76.00 do S. W. } timber ash Elm

80.00 post corner to sets 25 & 36 T 4 R 11
 & sets 30 & 31 T 4 R 12 a hickory
 12 N 64 W 59 & a hick 10 East 47

North 2nd Mile } Rich bottom land
 18.00 beech 4.00 S E, } timber hick,
 31.00 hickory 14 } ash, Elm &c

40.00 D. S. post an Ironwood 7 S 65 W 9
 & an Ash 6 N 43 E 13

61.00 Ash 15 } Rich bottom land
 67.00 Ch. 50 W } timber sugar Ash
 Elm &c

80.00 post corner to 24 & 25 T 4 R 11
 & 19 & 30 T 4 R 12 a sugar 10 N 56 W
 14 & a sugar 6 S 70 E 12 e

of Ranges 11 & 12

57

North 3rd Mile

33.00 bk. 3 E } hilly rich land
 33.70 Ash 16 } timber sugar ash &
 40.00 Dr. S. port a thorn 5 East 1
 Van Ash 30 S 21 W 40
 47.50 bk 3 E } Rich hills timber
 48.40 Lowst 24 } Sugar Ash Elm &
 71.80 Ro. 4 8cs }
 80.00 port corner to suts 13 & 24 S 4
 R. 11 & suts 18 & 19 S 4 R 12 a
 Hick 7 8 S 5 E 17 Van Elm 9
 S 8 4 W 32

North 4th Mile

14.00 bk. 3 W } Rich hills timber
 15.00 Hick 7 12 } Sugar Ash poplar
 33.00 bk 15 W } Elm &
 40.00 Dr. S. port a sugar tree 9 N 28 E
 24 & a poplar 36 S 58 W 39

58 North Between towns 4 & 14

50.00 bk 4 W } Rich hilly land
65.20 beech 24 } timber sugar beech
71.00 bk 4 W } Oak & hick

80.00 post corner to sets 12 & 13 T4 R11
sets 7 & 18 T4 R12 a hick 12 & 26
W11 & a hick 16 N30E25E

North 5th Mile } hilly rich land
30.50 beech 12 } timber walnut ash

40.00 D. S. post a walnut 14 N73W23
& a walnut 12 S45E25E

41.00 bk 3 NW } hilly rich land

60.00 beech 40 N } timber sugar ash &
65.00 do 50 W }

80.00 post corner to sets 1 & 2 T4 R11 &
sets 16 & 7 T4 R12 a sugar & N44
W11 & a Lym 30 S52E16E

North 6th Mile

8.50 bk 5 SE } hilly rich land timber
13.30 hick 18 } sugar ash hick &

of Ranges 11 & 12

59

32.50 Ash 16

40.00 Ash 5 E. D. 2nd Sect. corner an
Elm 24 N 40 W 24 & a hick 7 1/2 & 50 E 35

Over hilly land timbered with
sugar tree ash hick &c

80.00 at a post for the corner of
towns 4 & 5 of Ranges 11 & 12

a No. 30 S 24 E 14 & a beech
14 West 18 c

September the 4th 1806

from the ^{var. 5.50 E} corner of towns 4 & 5 of Ranges 11 & 12

East between towns 4 & 5 N. 12 first mile

19.75 beech 16 } hilly rich land, timber
31.00 bk 15 S. } sugar Oak ash &c
32.00 Creek 50 S. }

40.00 2nd Sect. post a sugar & 36 W 14
a No. 36 S 24 E 37 c

69.30 a sugar 14 } hilly rich land, timber
Oak hick sugar &c

60 East between towns 4 & 5

80.00 post corner to sects 31 & 32 T5 R12
a hick 12 S 26 W 17 & a sugar 10. N 4 W 32

East 2.nd Mile } hilly Rich land
10.00 bk & S. } timber hick & Oak
16.00 D. 6. S. W. } sugar &c
20.30 poplar 30

40.00 D. S. post a hick 75 S 61 W 14 & a
walnut 12 N 72 E 31

Over uneven land, timbered
with Oak & hick &c

80.00 post corner to 32 & 33 T5 R12 a
sugar 12 N 84 W 18 & a pop. 16
S 40 E 18

East 3.rd Mile } generally level good.
22.50 poplar 24 } Oak land &c
40.00 D. S. post a pop. 18 S 45 E 28 & a
sugar 14 S 65 W 39 &c

[No 3]
of Ranges No 12

61

43.50 bk 5 S. } generally good level
60.00 do 5 S. }
61.00 sugar 16 } Oak land

80.00 post corner to cut 33 & 34 S 5 R 12
a Maple 12 S 21 W 27 & a 40.30 N 70 E 58

East 4th Mile

3.00 sp 9 S. } level good land. timber
20.56 W 0.36 } Oak & poplar &

40.00 D. S. post corner a sugar 14 S 61 W 20
a Maple 8 S 87 E 19

64.00 bk 5 N E } level good Oak land

80.00 post corner to 34 & 35 S 5 R 12 a
sugar 14 West 31 & a sugar 10 S 41 E 27.

East 5th Mile } generally good Oak
13.17 poplar 18 } land

40.00 D. S. post a Walnut 12 S 52 E 15 & an
Elm 7 N 22 W 14

Intersection of Boundary line

46.10 Intersected Boundary line, set
a post from which an Ash 14
S 69 W 12 & an Ash 14 N E 36

thence with the Boundary line

N 10° 45' E - As near as I can ascertain

20.30 to an Ash marked M ^{100m} 10

September the 5th 1806

✓ from the corner of towns 3 & 4 R 10 & 11

South between towns 3 & 3 of Ranges 10 & 11

13.50 Ash 20 } hilly rich land

15.00 Ash 4 & 1 W } timber sugar Ash &c

32.50 set a post on the Ohio river

bank from which a sugar tree

12 by W 32 & a sugar tree 13 N 61 E

38 1/2 dist

North between T⁴44 Ranges 10411 ⁶³

Return to the corner of towns
344 T³344 of Ranges 10411

North first ^{var. 5.50th} mile between T⁴44 R10411

18.00 bk 3 W } part hilly & part level
28.60 beech 15 } rich land timber Oak
hickory sugar &c

49.00 D. S. post a beech 15 S 86 E 53
& a beech 16 N 38 W 40 e

Over first rate land, timber
sugar ash hickory &c

80.00 post corner to 25 & 36 T⁴4 R10
a beech 24 S 43 W 41 & a beech
18 N 27 E 47 e

North 2nd Mile

6.00 sp 9 W } first rate land

10.00 sugar 8 } timber Oak

27.50 poplar 50 } sugar ash &c

40.00 D. S. post a beech 14 N
24 E 10 & a walnut 30 S 71
W 25 e

64 North between towns 4 & 4

56.20	Mulberry 12	} Generally level Rich land. timber sugar ash poplar &c
64.30	sugar 16 a	
72.00	bk 8 N. W	
80.00	post corner to sects 24 & 25 T. 4, R. 10 a. beech 6 N 47 E 6. & a beech 7 16 7 W 10 a	

September the 6th 1806

North 3 rd mile		} Rich level land timber sugar beech &c
12.96	poplar 48	
23.20	sugar 14	
40.00	post a beech 40 N 25 W 5 & a beech 6 11 2 E 16 a	

50.70	beech 16	} level rich land timber Oak poplar &c
68.00	bk 3 W	
80.00	post corner to sects 13 & 24 a poplar 36 N 85 W 34 & a beech 16 East 36 a	

North 4th mile

14.80	poplar 36	} level good land timber sugar Oak poplar
31.00	W. 30	

of Ranges 10 & 11

65

33.00 Spring E

40.00 D. S. post a Gum 18 S 24 E 11 & a
W. 36 N 87 W 23

56.00 Spr. E } level rich land timber
59.80 poplar 40 } beech poplar Oak &c

80.00 post corner to sets 12 & 13 T 4 R 10
a W. 50 N 11 E 31 & a hick 12 South 45

North 5. th Mile } level rich land timber
34.80 beech 16 } Oak beech &c

40.00 Dagwood 6 T. S. D. S. corner a Gum 14
N 75 E 36 & an ~~wood~~ 5 & 56 W 30

53.14 poplar 36 } level rich land timber
Oak beech poplar &c

80.00 post corner to sets 1 & 12 T 4 R 10 a poplar
20 S 77 E 10 & a Dagwood 6 S 42 W 11

North 6. th Mile } generally good land

11.87 D. S. 18 } timber Oak hick &c
31.70 sugar 12

40.00 D. S. post a hick 12 S 9 E 27 & a hick
12 N 42 W 35

66 East Random line betw

57.80	sugar 10	} hilly poor land timber Oak Logwood do
58.00	break 40 E	
67.50	bk 3 S E	

80.00 set a post for the corner of towns
44 & 5 in Ranges 10 & 11 from which
a No. 24 bears N 46 W 16 to No. 16
S 35 E 42 bk dist —

East Random line first mile between
towns 44 & 5 of Range No. 11

30.00	bk 3 S	} hilly poor land. timber Oak Logwood do
40.00	2 nd S. part timber	

52.00 break 40 N.E. kept down creek crossing

65.00 left bk running S.E. kept down a ~~narrow~~
narrow bottom

67.00 break 50 S } timber Lymn. sug. p.

80.00 timber part

East 2nd Mile Random line

40.00	timber 20 S. part
61.00	bk 4 S.E.

en Towns 4 & 5 of Range 11 67

74.00 bk 4 S } hilly rich land timber
sugar Elm ash &c
80.00 tempy post

East 3rd Mile Standon

7.00 creek 35 SW } rich hills timbered
with Oak poplar
13.00 bk 3 N W }
37.00 D° 3 N W } sugar tree &c

40.00 tempy D. S. post

69.00 bk 5 N W } hilly rich land timber
72.00 D° 10 N W } Oak / Syc / poplar &c
77.00 D° 10 S W }

80.00 tempy post

East 4th Mile Standon

2.00 bk 10 N W } hilly rich land timber
19.00 D° 6 S W } Oak beech poplar &c
35.00 D° 3 S W }

40.00 tempy D. S. post

46.00 spg S. W. } level Oak land

80.00 tempy post

East 5th Mile Standon

36.50 bk 10 S E } hilly rich land

68

East Random between T. 48 & R. 11

40.00 temp 7 2^d S. postSeptember the 7th 1896~~East 5th Mile Random East~~51.00 bk 3 SW } hilly rich land timber sugar
Oak ash &c

67.00 Indian Kentucky 2.50 running south

80.00 temp 7 post

East 6th Mile Random line31.00 bk 3 SW } hilly rich land timber
sugar Oak, beech &c40.00 temp 7 2^d S. post80.50 fell 50 lbs North of the corner
to towns 485 of Ranges 11 & 12vap. 5.50 E
Corrected West between towns 485 of
Range 11 first milemoved 2^d S. post on true line at

40.00 a beech 14 S 34 E 88 a beech 12 N 85 W 32

80.00 moved post on true line corner to 35 &

36 a beech 14 S 8 W 25 & a sugar 16 N 7 W
33 Oak &c

69

Corrected West between towns 4 & 5, R. 11,

Corrected West 2nd Mile

40.00 D. S. post an Elm 10 S 64 W 8 &
a walnut 16 N 31 E

80.00 post corner to 34 & 35 T 5 R 11
a W 0 14 S 53 W 20 & a W 0 16 North 22

Corrected West 3rd Mile

40.00 D. S. post a hick 7 12 S 4 E 36 & a
hick 20 N 22 E 43

80.00 post corner to 33 & 34 T 5 R 11 a sugar
14 N 23 E 23 & a sugar 10 S 31 W 25

Corrected West 4th Mile

40.00 D. S. post a Lynn 16 N 63 W 13 & an
Elm 9 S 67 E 10

80.00 post corner to sects 32 & 33 T 5 R
11 an Elm 12 N 82 E 7 & a sugar tree
5 S 67 W 17

Corrected West 5th Mile

40.00 D. S. post a sugar 12 N 51 W 14 & a
W 0 8 S 8 E 17

70 West Random between

80.00 post corner to 31 & 32 To R 11 a
R 0.16 S 81 W 27 & an ash 12 S 60 E 29

Corrected West 6th Mile

40.25 2nd S, post a sugar 12 N 87 E 17 & a sugar
(40.00) 8 N 54 W 30

80 50 to the corner of towns 4 & 5 R 10 & 11

West Random line between towns 4 & 5
of Range 10 first mile

3.50 bk. 3 S, } hilly rich land, timber
28.00 2nd 3 S, } sugar Elm ash &c
39.00 2nd 10 S E }

40.00 temp^y 2nd S, post

55.00 a good spring on the south side
of the line running S.E.

Good land well watered & well
timbered with Oak poplar ash &c

80.00 temp^y post

September the 8th 1806

Townships 445 Range N^o 10 ⁷¹

West 2nd Mile between T. 445 R. 10

40.00	tempy 2 ^d S post	} Flat land, timbered with Oak & beech
70.00	bk 3 & 4 W.	
80.00	tempy post	

West 3rd Mile Random line

40.00	bk 3 N.	} level land, timbered with beech poplar Oak &
40.00	tempy 2 ^d S P.	
80.00	tempy post	

West 4th Mile Random line

18.00	bk. 10 S.	} Flat land, timbered with Oak beech Gum &
40.00	tempy 2 ^d S. P.	
80.00	tempy post	

West 5th Mile Random line

40.00	tempy 2 ^d S. P.	} Flat land, timbered with beech gum Oak &
52.00	bk 10 S &	
80.00	tempy post	

West 6th Mile Random line

21.00	bk. 10 S.	} Flat wet land, timbe beech Oak Gum &
40.00	tempy 2 ^d S. P.	
80.00	tempy 2 ^d corner	

72 North Between towns 4

From the corner of towns 3 & 4 R. 9 & 10
var $5^{\circ} 50' E$
North first mile between towns 4 & 4 R. 9 & 10
16.50 b.k 6 S W } level good land, timber
18.00 D. 3 S W }
26.60 beech 12 } Oak beech Gum &c
40.00 D. S. post a No. 30 south 2 & a
Dogwood 6 N 22 W 17 &
67.30 W. 16 } level wet land, timber
Oak poplar Gum &c
80.00 post corner to 25 & 36 T 4 R 9 & a
hick 7 10 N 63 W 8 & a No. 24 N 78 E 28

North 2nd mile

16.00 b.k 3 W } level wet land timber
20.25 Maple 12 } Maple beech &c
40.00 D. S. post a No. 36 N 39 W 28 & a
Maple 12 N 47 E 18
67.00 Maple 14 } level wet land timber
Maple Gum &c
80.00 post corner to 24 & 25 T 4 R 9 & a
No. 16 N 34 E 22 & a Gum 16 S 12 W 6

North 3rd mile

44 of Ranges 9 & 10 c 73

12.00 Elm 24 } level land, timber Oak

12.50 bk 8 W } poplar &c

40.00 D. S. post a beech 12 N 17 E 6 & a
beech 14 S 5 E 31 c

52.00 bk 4 W } good level land, timber

64.40 Gum 16

77.50 bk 10 SW } beech poplar Oak &c

80.00 post corner to 13 & 24 T. 4 R. 9 a

beech 24 N 83 E 15 & a beech 18 West 46

North 4th Mile } good level land timber

23.30 beech 30 } Oak beech poplar &c

40.00 D. S. post a maple 12 S 23 E 40 & a
No. 30 N 65 W 47 c

63.25 No. 16 T. D. } level good land timber
Oak beech poplar &c

80.00 post corner to 12 & 13 T. 4 R. 9 a beech
9 N 26 E 18 & a poplar 36 S 7 W 26

North 5th Mile September 9th 1806

6.00 bk 10 W

9.00 beech 50 SW

27.40 poplar 36

} level rich land
timber Oak beech
poplar &c

74 North between towns 4 & 5 Ranges 9 & 10

40.00 2^d S. post a beech 14 N 88 W 10
& a beech 12 N 72 E 21 c

Flat land timbered with beech Maple

80.00 post corner to 1 & 12 T 4 R, 9 a beech
14 N 55 W 3 & a beech 10 N 72 E 22 c

North 6th Mile } level wet land
47.60 Maple 36 } timber beech maple

40.00 2^d S. post a wo. 36 N 13 W 24 &
a wo. 36 S 25 W 43 c

43.00 bk 3 S, E } level wet land, timber

49.00 S. 10 S, W. } beech Maple Oak &c

57.00 S. 4 S, W.

79.00 Intersected Random line 25th N, West
of tempy post c

80.00 Moved tempy post for the
corner of towns 4 & 5 in Ranges
9 & 10 from which a beech 16 N 20
E 38 & a beech 16 S 75 W 28 c

Corrected East between towns 4 & 5 R 10
first mile

Corrected East between T. 4 & 5 R. 10⁷⁵

40.12 1/2 T. S. post on true line a beech 24
N 54 W 24 & a beech 24 S 42 E 28
80.25 post corner to 31 & 32 T. 5 R. 10
a beech 20 N 23 W 9 & a beech
16 S 8 E 11 ~

Corrected East between T. 4 & 5 R. 10, 2nd Mile
40.00 T. S. post a beech 14 N 30 E 22 & a
gum 24 S 72 W 36 ~
80.00 post corner to 32 & 33 T. 5 R. 10 a
gum 18 S 12 E 4 & a gum 15 N 42 W 16

Corrected East 3rd Mile
40.00 T. S. post a beech 20 S 50 E 24 & a
poplar 36 N 26 W 39 ~
80.00 post corner to 33 & 34 T. 5 R. 10 a
poplar 30 N 65 W 22 & a beech 9 S
22 E 25 W. dist ~

Corrected East 4th Mile
40.00 T. S. post a hickory 14 N 6 E 15 & an Elm
12 S 57 W 19 ~
80.00 post corner to 34 & 35 T. 5 R. 10 a W.
36 East 5 & a beech 12 N 2 E 27 ~

Corrected East 5th Mile

40.00 D.S. post a beech 8 & 8 E 6 & a
No. 16 N 9 E 17

80.00 post corner to 35 & 36 T. 5 R. 10 a
No. 50 South 3 & a No. 12 N 27 W
23

Corrected East 6th Mile

40.00 D.S. post a sugar 6 N 19 E 4 & a
sugar 12 S 25 W 23

80.00 to the corner of towns 4 & 5 R. 10 a

Returned to the corner of towns
4 & 5 of Ranges 9 & 10. ran

West Random line between towns 4 & 5
Range 9 first mile

40.00 temp 2, S. O. } level beech land

46.00 b.k 5 S.

51.00 b.k 40 N.W. kept down } level beech

61.00 b.k S W

71.00 S N W

land

West Random between T445 R9²⁷

80.00 tempy post

West 2nd Mile Random line

40.00 tempy 20 S. P. } generally good land

80.00 tempy post } timber Oak ash &c

West 3rd Mile Random line

7.00 Creek 50 S. W.

40.00 tempy 2 S. P.

42.00 bk 3 S. e

63.00 do 3 S. W

75.00 do 3 S. e

80.00 tempy post

Level land, rich
soil timber sugar
ash beech poplar
&c

West 4th Mile Random line

14.00 bk 3 S. e

40.00 tempy 2 S. P.

54.00 Creek 100 S. E

80.00 tempy post

generally rich
land. timbered with
sugar beech poplar
&c

West 5th Mile Random line

40.00 tempy 2 S. P.

78 Corrected East between

68.00 bk 4 N.W. } level beach land
80.00 tempy post }

West 6th Mile Random line

10.00 bk 10 S.W. } level beach land
40.00 tempy 2nd S.P. }

79.50 Intersected N. & S. line 2.30 bk S.
of the corner to towns 4 & 5 of
Range 8 & 9

var 5.50 E September 10. ^{#1806}
Corrected East first mile between
towns 4 & 5 of Range 9

39.75 2nd S. post a hick 12 West 2nd a
hick 12 N 66 E 32

79.50 post corner to 31 & 32 T 5 R 9 a beach
18 N 63 E 27 a beach 6 S 19 W 16

Corrected East 2nd Mile

40.00 2nd S. Post a beach 12 N 56 E 14 a
beach 18 S 56 W 28

80.00 post corner to 32 & 33 T 5 R 9 a beach
10 N 30 E 15 a beach 10 S 27 W 22

Towns 4 & 5 Range No. 9

79

Corrected East 3rd Mile

40.00 D. S. post a sugar 12 N 30 E 35 & a poplar
24 S 20 W 54 e

80.00 post corner to 33 & 34 T. 5. R. 9 a beech
12 N 45 E 3 & a beech 24 S 45 W 38

Corrected East 4th Mile

40.00 D. S. post a beech 30 S 38 W 12 & a beech
24 N 50 W 40 e

80.00 post corner to 34 & 35 T. 5. R. 9 a beech
12 N 37 E 4 & a walnut 24 S 26 W 28 e

Corrected East 5th Mile

40.00 D. S. post a R. 9, 24 N 75 E 5 & a beech
12 S 3 E 11 e

80.00 post corner to 35 & 36 T. 5. R. 9 a
beech 18 S 39 E 5 & a sugar 24 N 71 W 19

Corrected East 6th Mile

40.00 D. S. post a gum 14 N 43 E 20 & a beech
24 South 24 e

South Between towns

From the corner of towns 3

& 4 Ranges 9 & 10 ran

Var 5.50 E.

South Between towns 3 & 4 Ranges 9 & 10
... first mile =

33.22 N 0, 14 } level land timber Oak gum

40.00 N. S. post a N 0, 15 N 60 E 33 & a

hick 12 S 12 E 18

55.00 N 0, 20 } Rich level land

68.65 sugar 16 } timber Oak beech

78.50 bk 10 S E } poplar 4

80.00 post corner to sets 1 & 2 To R 9 &
sets 6 & 7 To R 10 a walnut 18 N
76 W 6 & a beech 18 N 43 E 15 =

South 2nd Mile

10.50 bk 4 E } Rich level land, timber

36.36 poplar 28 } poplar Oak sugar &

40.00 N. S. post a beech 10 N 38 E 48 & a
beech 16 S 29 E 50 =

343 of Ranges 9 & 10 ⁸¹

59.50 poplar 72 } part level & part hills
 72.00 bk 10 E } high land, timber ash
 80.00 } poplar beech &
 post corner to sects 12 & 13 T3 R9,
 & sects 7 & 18 T3 R10 a beech 14 N 61 W
 8 & a beech 9 S 78 E 23

South 3rd Mile } part hill & part river
 32.50 Ash 16 } bottom timber sugar ash &
 40.00 2nd S. part a buckeye 18 S 49 E 7 & a
 beech 14 S 47 W 8
 58.00 bk 10 S E } River bottom timbered
 60.00 2nd 10 S W } with Ash beech Elm
 65.00 beech 24 }
 78.50 bk 20 E } buckeye &
 80.00 post corner to 13 & 24 T3 R9 & 18 & 19 in
 T3 R10 an Elm 16 N 51 E 19 & a hick 79
 S 79 W 60

South 4th Mile } River bottom timbered
 23.50 Ash 36 } with beech buckeye &
 40.00 2nd S. part a beech 10 N 83 E 22 & a
 buckeye 15 S 81 W 25

82 South between towns 3 & 3

50.00 began to ascend the river hill

64.50 Lynn 24 } Rich land part hill
70.00 top of the hill } & part bottom timber
 } buckeye ash &c

70.00 top of the hill } 1/4 part bottom timber
Buckeye Ash &c

Wm Keyser and the

80.00 post comes to sets 24 & 25, 73.

Aug 4 sent 19430 To Rio a No. 20

N 18 E 20 4 am Ash 15 & 56 N 19 =

South 5th Mile, September the 11th 1806

23.00 b.k. 15 East } level good Oak land

40.00 21. S. post a beech 12 N42E268 a
beech & West 28 e

becky West 28

67.50 Maple 14 } Poor level Oak land

80.00 post corner to 2543633 Rg, 4 sets,
3043133 R.10a No.36 N36 W26 & a
No.15 S15 E30 —

30 & 31. \int_3 R. 10 a No. 36 N'36 W2.6 & a

No. 15 S 15 E 30 ~

South 6.th Mile

2600 high 24 } poor level Oak land

40.00 } 2. S. part a No. 16 North 23 & a No. 18 S 9 E 43 e

189 E 43 e

83

Ranges of 410 \rightarrow East to the river

46.50 bk. 10 S, E } Very hilly & rocky
56.00 No. 16 \rightarrow } timbered with Oak
62.00 bk. 3, E } beech & beeder \rightarrow
80.00 set a post for the corner of
towns 2 & 3 in Ranges of 410 a
hick 24 S 22 W 23 & a locust 18 N 48
E 42 bk. dist \rightarrow

var 5.50 E

East first mile between towns 2 & 3
of Range 10 \rightarrow

17.65 poplar 36 } part level & part hill
32.60 sugar 12 } land, timber Oak beech
33.00 bk. 3 S E } Elm sugar &
40.00 D. S. post an Elm 18 N 62 E 27 & a
Lynn 18 S 66 W 29 \rightarrow
47.50 bk 4 N, E } Rich bottom land timber
64.40 beech 30 } beech poplar &
80.00 post corner to sects 5 & 6 in T. 2 &
31-32 in T. 3 of R. 10. a beech 34 S 49 W
9 & a beech 18 N 77 E 29 \rightarrow

South between towns

East 2nd Mile T₂ 2 & 3 of R₁₀

14.00 set a post on the bank of the
Ohio River a sycamore 14 N 55
W 23 & a sycamore 14 S 34 E 32 ~

Return ^{by 5.50 E.} to the corner of towns
2 & 3 of Ranges 9 & 10

South first Mile

25.75 beech 18 } level good Oak
lands

40.00 2nd S. post a Sycamore 6 N 29 W 13 &
an Ash 16 S 52 E 22 ~

51.80 Gum 18 } Stony hill side timber

53.50 bk 3 S W } Oak beech beech &c

80.00 post corner to sects 1 & 12 T₂, R₉,
& sects 6 & 7 T₂ R₁₀ a beech 12
N 67 E 7 & a beech 12 S 21 W 23

South 2nd Mile

242 Ranging 410

25.30 No. 18 } level Oak land

40.00 D. S. post a No. 14 S 71 E 10 & a
sugar 6 S 87 W 16

48.00 beech 50 E } hilly rich land timber

76.00 bk 6 E } Oak sugar Buckeye &

80.00 post corner to 12 & 13 S 2 R 9 & 7
18 S 2 R 10 a R. 13 N 47 W 20 & awas put
~~100.20~~ N 85 E 21South 3rd mile } good level Oak land

23.00 beech 18

39.50 bk 5 E

40.00 D. S. post a beech 14 S 52 E 2 & a
Buckeye 6 N 52 W 34

51.50 poplar 36 } hilly stony land

62.00 bk 6 E

75.00 bk 6 E } timber Oak Lynn

80.00 post corner to 13 & 24 S 2 R 9 &
18 N 19 S 2 R 10 a No. 40 N 70 E 29 & a
beech 12 S 52 W 29

South between towns 2 & 2

South 4th Mile } hilly rocky land
 20.60 poplar 36 } timber Oak beech
 27.00 bk 6 E } Gum &c
 40.00 D. S. post a beech 15. 16 E 12 &
 a gum 15 14 E 22 ~
 60.00 bk 6 E } level poor land. timber
 76.80 beech 12 } Oak gum beech &c
 80.00 post corner to 24 & 25 T₂ R₉ & a
 sec 19 & 30 T₂ R₁₀ a gum 12 N 22 W
 10 & a gum 15 S 19 E 21 ~
 September the 12th 1806

South 5th Mile

20.00 bk 4 E } level poor land. timber
 27.18 beech 14 } Oak beech gum &c
 40.00 D. S. post a No. 36 S 28 E 7 & a gum
 15 N 19 W 50 ~
 58.60 poplar 36 } good level Oak land

of Ranges N^o 9 & 10

87

80.00 post corner to 25 & 36 T² R⁹ and set
30 & 31 T² R¹⁰ a No. 24 S¹³ E⁴ & a
No. 12 N⁴⁵ W⁴⁰ e

South 6th mile

5.00 bk 5, W. } generally good land
23.00 gum 18 } timber Oak poplar
35.00 bk 3 W } beech &
40.00 D. S. post a beech 24 West 5 & a
beech 9 S⁵³ E²⁹
68.50 bk 10, E. } good land timber Oak
poplar &
80.00 set a post for the corner of T²
182 in Ranges 9 & 10 from which a
beech 16 S³⁶ E¹⁵ & a beech 10 N³⁴ W²⁹

var 5.50 E
East first mile between towns 182 of R¹⁰
through a fallen timber thicket
40.00 D. S. post a sugar 12 S⁷¹ E¹⁰ & a beech
12 N⁵⁷ W⁵⁴ e
66.25 Walnut 24 } level poor land timber
Oak beech &

East between towns 1 & 2 R. 10

80.00 post corner to sects 5 & 6 T. 1. R. 10
 & sects 31 & 32 T. 2 R. 10 a beech 24
 N 84 W 23 & a beech 6 N 80 E 35

East 2nd mile } Rich hills timber
 15.00 bk 15 SE }
 26.00 ash 12 } ash sugartree
 36.00 bk 10 SW } walnut &c

40.00 P. S. post on Elm 12 N 6 E 10 & a
 Ironw. 5 S 34 W 11 c

69.60 R. 0. 30 } hilly poor Oak land

80.00 post corner to sects 4 & 5 T. 1. R. 10 & a
 sects 32 & 33 T. 2 R. 10 a hickory 18 N 72
 W 17 & a R. 0. 24 S 54 E 27 c

East 3rd mile down a steep hill

26.00 set a post on the bank of the
 River Ohio from which a sugar
 T. N 30 W 16 & a bukeye 14 S 17 W 16

South between towns 181 Range 9 & 10

September the 13th 1806

from the corner of town 182 in
Ranges 9 & 10 ran var 5.50. E

South first mile between T. 181, R. 9 & 10,

7.50 ~~of~~ 9 S W.

Level thin land, timber Oak beech

40.00 2^d S. part a poplar 16 S 71 E 21 & a
beech 14 N 39 W 31 e

63.64 beech 15 } level good land timber Oak
poplar beech &c

80.00 part corner to sects 1 & 12 T. 181, R. 9 &
sects 6 & 7 T. 181, R. 10, a beech 3 South 8
& a poplar 36 N 65 E 30 e

South 2nd Mile

21.00 Elm 15 } Rich hills, timber, sugar
25.00 bk 6 W }
36.00 do 3 W } Elm walnut &c

40.00 2^d S. part a walnut 24 S 14 W 4 & a
sugar 6 N 14 W 22 e

55.25 Buckeye 24 } level rich land timber
Oak sugar tree &c

90

South between towns 181 R. 9 & 10

80.00 post corner to 12 & 13 T. R 9 &
 sets 7 & 18 T. R 10 & a R. 16 N 32 W
 28 & a beech 15 S 8 E 33 &

South 3rd mile } Rich hill side timber

36.60 Ash 12 } sugar Elm ash &

40.00 N. S. post corner an Elm 7 N 8 E 8
 & a Mulberry 7 N 53 W 16 &

54.50 bk 6 W } River bottom timbered

55.00 beech 8 } with beech poplar &

80.00 post corner to 13 & 24 T. R 9 &
 sets 18 & 19 T. R 10 & poplar 7 2
 East 5 & a beech 14 West 5 &

South 4th mile } River bottom

23.00 beech 24 } timber beech poplar

30.00 set a post on the bank of the
 River from which a sycamore
 24 S 2 W 26 & an Elm 36 N 37 E 47

91

Courses & distances down the river

Thence down the River on the
bank, high water mark.

S59 W	39.00	th mouth of Camp Creek
40.00		The appearance of a large bottom timbered with beech sugar poplar &c
S47 W		
30.00		
S38 W		
30.00		Narrow bottom and high hill, timbered with sugar tree ash Buckeye &c
S24 W		
31.00		
S15 W		
52.00		
S26 W		
17.50		
S30 W		
21.00		
S32 W		
16.00		

West between T. 1 N. & 1 S. of R. 9

Chs. lks var 5.50 E.

S 37 W 24.15 set a post for the corner
of towns 1 N. & 1 S. R. 9 from which
a beech 18 N 82 W 30 & a honey
lovest 14 S 29 W 40

September the 15th 1806

West ^{3rd mile} between towns 1 N. & 1 S. R. 9

18.05 set a post for the corner of sects
2 & 3 in T. 1 S. and 34 & 35 in
T. 1 N. of Range 9 a beech 12
N 80 W 23 and an ash 12 S 50 E 35

West 3rd Mile { level good land timber

7.20 poplar 24 { beech poplar ash &c

27.90 set a post in a line of the Illinois
Grant, from which a beech 36
N 8 E 23 & a beech 12 S 14 W 37

Thence with the Grant line
S 36 E - Over good land timber beech poplar &c

Grant line and course of the River ⁹³

30.00 to a blue ash, W.O. & Hickory
marked for the corner of the
Grant. there stands on the
top of the hill, cont. same
course in all

37.50 set a post on the bank of the
river from which a R. 24
N 13 W 45 & a W.O. 30 & 66 N 33
thence up the river on the bank

N 42 E } A steep rocky hill close
9.65 } to the river &
N 37 E }

29.00 to the corner of town 1, N 41 S
in Range 9 &

94 South Between towns 3 & 3

September 16th 1806

var. 5.50. E
from the corner of towns 3 & 4
Ranges 8 & 9 ran

South first mile between R 8 & 9

34.15 W 014 } flat beech land

40.00 W. S. post a No. 24 N 56 W 38 & a
poplar 3 S 31 E 12. c

flat land timber beech gum

80.00 post corner to south 1 & 2 T 3 R 8
a beech 12 N 49 W 7 & a gum 12 S 49 E 38

South 2nd mile } level land. timber
32.00 No 24 } Oak beech &c

40.00 W. S. post a No. 20 N 54 E 13 & a
beech 16 S 8 E 13 c

70.50 No. 16 } generally pretty good
Oak land c

80.00 post corner to 12 & 13 T 3 R 8. a hick
6 N 30 W 17 & a walnut 14 S 14 E 33

Ranges 8 & 9.

95

South 3rd Mile } generally good
 3.00 bk 4 S W } land timber oak
 8.50 do 4 W }
 9.55 honey locust 16 } hickory beech &c
 39.00 bk 3 S. W. }
 40.00 20 S. post a beech 13 N 12 W 25
 a beech 18 S 7 E 34 e

71.00 bk 5 W. } pretty good Oak land
 80.00 post corner to 13 & 24 T3 R 8 a
 beech 14 S 64 E 10 a beech 10 S 18 W 34

South 4th Mile } poor hilly Oak land
 10.00 bk 3 W }
 37.00 do 3 W }
 40.00 20 S. post a beech 16 S 44 W 11 a beech
 16 N 59 E 27 e

51.20 beech 16 } good Oak land
 80.00 post corner to 24 & 25 T3 R 8 a
 sugar 9 N 30 E 13 a beech 12 S 32 W 33

South 5th Mile.

96 South between towns 3 & 3 R. 8 & 9

24.00 buck 50 S. W. } Rich hilly land. timber
Oak hickory ash &c.

40.00 W. S. post a W. 36 S. 7 E 19 & a
poplar 16 N 62 W 29 e

47.50 bk 3 W } hilly poor land

60.00 do 15 W } timber Oak Sycamore

78.00 do 10 W } do

80.00 post corner to 25 & 36 T. 3 R. 8
a W. 30 N 50 W 11 & a R. 20 S 19 W 64 e

South 6th Mile } generally good land

22.00 bk 3 W. } timber Oak ash &c.

37.00 do 3 W &c

40.00 W. S. post a W. 24 N 23 E 24 & a
W. 24 S 47 W 24 e

80.00 set a post for the corner of towns
2 & 3 of Ranges 8 & 9, a W. 36 N 31 W
10 & a hickory 24 S 7 E 32 e

East Random line between towns 2 & 3 R. 9

40.00 W. S. post } generally good land

52.00 bk 3 S. } timber Oak hickory &c.

East Random line T. 243 R. 97

75.00 bk 15 S.W. } good Oak land
80.00 tempy port

East 2nd Mile } flat land timber
0.50 bk 3 S } beech Gum Oak
31.00 do 3 S.

40.00 tempy 2nd S. port

47.00 bk 3 S. } pretty good
60.00 do 6 S.W. } Oak land
80.00 tempy port

East 3rd Mile } Flat land
40.00 tempy 2nd S. port } timber beech
80.00 do 1st S. port } Oak Gum &c

East 4th mile } flat land, timber
11.00 bk 3 S. } beech Oak Gum &c
40.00 tempy 2nd S. port
46.00 bk 4 S. } level poor Oak
80.00 tempy port } land &c

East 5th mile } hilly land, timber
7.00 bk 4 S. } Oak hickory Dogwood
30.00 do 15 S.W.

98

East Rm line between T. 2 & 3 of R. 9
17th of Sept. 180640.00 temp^y 2^d S. post

47.00 bk. 4 SW } hilly rich land

55.00 D^o 3 S. } timber Oak ash.70.00 D^o 3 SW } hick^y —80.00 temp^y postEast 6th Mile } hilly thin Oak

10.00 bk 3 S.

25.00 D^o 3 SW } land —40.00 temp^y 2^d S. post

level good Oak land

77.50 fell 3.00 bk. S. of the corner of
towns 2 & 3 of Ranges 9 & 10 as

was 5.50.00

Corrected West between towns 2 & 3 R. 9

40.00 moved 2^d S. post on true line

a gum 16 S 39 E 184 a W 40 N 4 E 32

80.00 moved post on true line corner to 35
836 S 3 R. 9 a hick^y 14 N 17 W 5 a hick^y
12 S 52 W 31 —

Corrected West between towns 2 & 3 Rg

Corrected West 2nd Mile

40.00 set 2^d Sect. post on true line a
poplar 36 S 49 W 19 & an Ash 16
N 75 E 26 c

80.00 post corner to 34 & 35 T₃, Rg. a No.
16 N 43 E 18 & a No. 12 S 49 W 54

Corrected 3rd Mile West

40.00 2^d S. post a gum 18 N 30 E 28 & a
maple 12 S 49 W 34 c

80.00 post corner to 33 & 34 T₃, Rg. a maple
12 S 74 E 10 & a No. 16 N 52 W 43 c

Corrected 4th Mile West

40.00 2^d S. post a No. 16 S 2 E 26 & a Gum
18 N 24 E 22 c

80.00 post corner to 32 & 33 T₃ Rg. a hick
9 S 87 E 29 & a No. 9 S 80 W 29

Corrected West 5th Mile

40.00 2^d S. post a beech 12 N 21 E 37
& a No. 12 S 8 W 42 c

South between towns 2 & 2

80.00 post corner to 314 32 33 R 90 R
30 N 69 W 24 4 a R. 24 64 E 45 c

Corrected West 6. th mile

38.75 D. S. post a R 90 N 54 W 98
a beech 16 849 E 54 c

77.50 to the township corner

September the 18th 1806
var 5.50 E

South between towns 2 & 2 R. 8 & 9, 1st mile

17.40 hick 7, 18 } poor level Oak loc.

40.00 D. S. post a Gum 12 N 36 E 26
4 a W. 30 S 13 W 48

57.25 W. 24 } flat wet land timber
beech maple &c

80.00 post corner to 1 12 32 R 8 a
beech 12 N 3 E 12 4 a W 12 S 73 W 26

South 2nd mile } poor level land timber
19.25 W 15 } Oak beech &c

Ranges 8 & 9 101

40.00 2^d S. post a beech 8 S 88 W 9
 42.00 Creek 50 SW } thin level land
 56.00 Gum 30 } timber Oak beech
 80.00 post corner to 12 & 13 T2 R 8 a
 beech 16 S 40 W 6 & a beech 18 N 6 E 42

South 3rd Mile }
 3.00 bk 5 SW } generally good
 17.50 W. 16 } land timber Oak
 18.00 bk 3 SW }
 35.00 20 4 S. E } beech &
 40.00 2^d S. post a beech 16 S 20 E 17 & a
 beech 14 N 6 W 28
 64.00 beech 17 } good land timber
 68.50 bk 15 W } Oak beech walnut
 80.00 post corner to 13 & 24 T2 R 8 a
 beech 12 S 27 E 25 & a walnut 16 N 20 W 22

South 4th Mile }
 2.50 bk 10 NW } flat land timber
 16.00 beech 14 } beech Oak &

South between towers 242 R. 889

40.00 2^d S. ~~post~~ a beech & corner tree a
W 30 S 60 E 25 & a beech 16 N 75 W 38
52.00 W 16 } flat land timber Oak
beech &c
80.00 post corner to 244 25 T 2 R 8 a
beech 12 N 85 E 6 & a beech 10 S 74 W 38

South 5th Mile } good level land
10.00 beech 14 } timber beech Oak
25.00 bk 3 SW } poplar &c
40.00 2^d S post a poplar 30 S 5 W 30
& a poplar 30 N 3 W 21
48.00 bk 10 W } good level land
49.70 honey locust 20 } timber beech poplar
80.00 post corner to 254 36 T 2 R 8 a
No. 18 N 28 E 22 & a gum 24 S 67 W 44

South 6th Mile } good land timber
6.00 beech 60 SW } beech poplar &c
40.00 2^d S. post a beech 81 N 79 E 3 & a
beech 10 S 59 W 17
58.50 beech 24 } good land timber beech poplar

East Random line between T¹⁰³ 142 R⁹

80.00 post corner to town 142 of Range
849 a beech 16 S 8 N 32 E a beech 18
N 7 E 51 c

September the 19th 1806

East Random line between T¹⁰³ 142
R⁹ first mile

40.00 temp^y post } good land timber

80.00 temp^y post } poplar beech &c

East 2nd Mile Random line

40.00 temp^y post } good level land

72.00 bk. 6 S. } timber Oak poplar

80.00 temp^y post } &c

East 3rd Mile Random line

40.00 temp^y post } Rich level land

41.00 bk 3 N W } timber beech

80.00 temp^y post } poplar &c

East 4th Mile Random line

16.00 bk 3 S E } Rich level land timber

24.00 bk 3 S } beech Oak poplar &c

104 East Random line between T. 31 & 2 R. 9

40.00	tempy port	} hilly stony land timber Oak poplar beech &c
60.00	bk 30 S	
70.00	bk 6 S W	
80.00	tempy port	

East 5th Mile Random line.

40.00	tempy port	} fallen timber very brushy
80.00	D ^o D ^o	

East 6th Mile Random line

1.00	bk 3 S.	} fallen timber
10.00	D ^o 3 S.	
40.00	tempy port	} very brushy, hills and rocks
48.50	bk 8. S.	

80.00 fell 75 bk. S. of the corner of
towns 1 & 2 in Ranges 9 & 10

Corrected West between towns 1 & 2 R. 9
var 5° 50' E

40.00 N. S. post a poplar 48 East 31 no
other timber near

80.00 post corner to 1 & 2 in T. 1 & 35-36 T. 2, R.
9 an ash 14 S 60 W 108 an ash 15 N 80 E 20

Corrected West between towns 1 & 2 Rg

Corrected West 2.nd Mile

40.00 2 P.S. post a beech 10 N27 E 34 & a
poplar 30 S25 W 52

80.00 post corner to 2 & 3 in T. 1. & 34-35 in
T. 2, R. 9 a beech 16 North 50 & a W 014
S 89 W 96 e

Corrected West 3.rd Mile

40.00 2 P.S. post an Elm 10 S 71 E 13 & an
ash 18 N 29 W 31 e

80.00 post corner to 3 & 4 in T. 1. & 33. 34 T. 2;
Range 9 a beech 16 S 6 W 14 & a beech
18 N 4 W 45 e

Corrected West 4.th Mile

40.00 2 P.S. post a poplar 36 N 45 E 33 &
a beech 36 S 42 W 39

80.00 post corner to 4 & 5 in T. 1. & 32 & 33
T. 2 R. 9 a beech 6 N 45 W 10 & a gum
14 S 9 E 17 e

Corrected West 5th mile

40.00 2 P.S. post a beech 14 N 55 W 19 1/2 a beech 14 S 81 E 55

80.00 post corner to 54 6 1/2 S. 43 1/2 W 32 1/2 S. 69 a beech 16

S 43 E 25 1/2 a sugar 24 N 39 W 31 e

Corrected 6th mile West

40.00 2 P.S. post a beech 12 N 76 E 12 1/2 a beech 12 S 18 W 18

80.00 to the corner of towns 1 & 2 in Range 8 1/2 e

West first mile between towns 1 & 2 of Range 8
var 5th 50' E
over first state land timber sugar ash walnut &c

40.00 2 P.S. post a buckeye 16 East 7 Van Ash 18 N 81 W 29 e

41.00 14 mile beech 7 1/2 S W 7 1/2 good land timber beech

54.00 set a post in a line of the Illinois Grant a hickory
12 N 69 W 16 1/2 a beech 6 S 19 E 17 e

S 36 E on Grant line

15.00 beech 7 1/2 S. } Rich land, timber beech

45.00 S. S. E } sugar poplar &c

60.00 S. S. S }

90.00 set a temp^y post

From the corner of towns 1 & 2 in Range 8 1/2

South first mile var 5th 50' E.

20.00 poplar 60 } Rich level land timber beech

24.00 S 45 W. } Elm sugar tree &c

40.00 2 P.S. post an Elm 10 N 14 W 6 1/2 a beech 16 S 46 E 20

47.50 beech 30 S W. } Rich land timber beech ash sugar

74.50 set a post in Grant line 200 lks S 36 E of
temp^y post moved it, took bearings at
intersection a beech 9 N 7 W 14 1/2 a beech 16
S 27 W 36 e

West Random line between T2 & 3 R8

September the 20th 1806

West Random line between towns 2 & 3 R8

first mile =

36.00 bk 4 S. } poor level Oak land

40.00 tempy 2^d S. post

60.00 bk 4 S. } general good

80.00 tempy post } Oak land =

West 2nd Mile Random

19.00 bk 3 S. } Good Oak land

25.00 do 3 S

40.00 tempy 2^d S. post

55.00 bk 3 S. } Rich bottom land, timber

80.00 tempy sett post

West 3rd Mile Random line

20.00 bk 15 N W

40.00 tempy 2^d S. } Generally rich

47.00 bk 10 N } land, timber Oak

66.00 do 3 N

80.00 tempy post } Sugar Elm ash &c

West Random line between T² 283 R 8West 4th Mile Random line

20.50 bk 4 N.e } hilly land timber

40.00 tempy post } Oak hick, &c

41.50 bk 3 N } pretty good Oakland

47.50 do 3 N

80.00 tempy post

West 5th Mile Random line

40.00 tempy post } level thin Oakland

54.00 bk 4 SW } generally good Oak

68.00 do 8 NW } land

80.00 tempy post

West 6th Mile Random line

1.50 bk 8 SW

11.50 do 8 NW

37.50 do 3 NW } generally thin

40.00 tempy post } Oakland

47.50 bk 3 W } thin Oak land

80.00 tempy post

South between towns 343 of Ranges 7 & 8

September the 21st 1886.

South first mile between towns 343 of Ranges 7 & 8
var 5:50. E.

17.00 bk 3 W } poor land timber beech

31.50 S 3 W } gum logwood

40.00 W. S. post a beech N 39 E 18 & a logwood
8 S 23 W 18

80.00 post corner to 1 & 12 S. 3. R. 7 a beech
10 S 30 W 7 & a R. 0. 30 N 10 E 36

South 2nd Mile } poor land timber beech
logwood

40.00 W. S. post a gum 15 & 40 W 20 & a beech
16 S 44 E 37

poor land timber beech gum logwood
80.00 post corner to 12 & 13 S. 3 R. 7 a W 14
S 55 E 20 & a 40.18 N 26 W 28

South 3rd Mile } poor bushy land timber
beech logwood

40.00 W. S. post a beech 24 N 12 E 18 & a beech
12 S 24 W 20

80.00 post corner to 13 & 24 S. 3 R. 7 a No. 16
S 56 E 28 & a No. 24 N 30 W 39

South 4th Mile } good beech land

4.50 bk 3 E

South between towns 3 & 3 Ranges 7 & 8

40.00	W. S. post a beech 30 65 6 W 19 8 a beech 12 N 50 E 18 c
53.50	bh 30 W
57.21	beech 18
68.00	beech 50 W
78.00	do 45 W
80.00	post corner to 24 & 25 T. 3. R. 7 a an Elm 18 N 27 W 7 a beech 14 S 37 E 14

South 5th Mile

28.50	beech 24
29.50	bh 20 4 W
40.00	W. S. post a Gum 12 S 19 E 22 8 a Gum 14 N 13 E 37 c
41.50	bh 3 E
45.00	beech 12
60.00	bh 3 E
70.00	do 3 E
80.00	post corner to 25 & 36 T. 3 R. 7 a beech 12 S 61 W 30 8 a poplar 30 N 56 E 36

South 6th Mile

28.00	bh 3 E
35.68	do. 24
38.00	bh 3 E

uneven land timber
Oak beech poplar &c

Corrected East between towns 2 & 3 R 8th

40.00 2nd S. post a beech 18 S 43 W 25 & a beech
17 N 80 E 34 c

46.83 poplar 50 } level beech land, good soil

80.00 fell 50 lbs West 475 North of temp.
post moved it for the corner of
towns 2 & 3 of Ranges 7 & 8 a No. 36
East 16 & a Gum 12 N 44 W 46 c

September the 22nd 1886

Corrected East between towns 2 & 3 R 8th

40.25 2nd S. post a No. 24 S 18 E 10 & a No. 16
West 18 c

80.50 post corner to 31 & 32 T 3 R 8 a beech
9 N 57 W 18 & a beech 8 S 73 E 20 c

Corrected East 2nd Mile

40.00 2nd S. post a beech 15 S 28 W 13 & a No. 18
N 24 W 31 c

80.00 post corner to 32 & 33 T 3 R 8 a hickory
15 S 30 W 11 & a No. 30 N 19 E 48 c

11² Counted East between towns 2 & 3 R. 8

Counted East 3rd Mile

40.00 2nd S. post W. 016 East 12 & an Elm 24
N 55 W 37 e

80.00 post corner to 33 & 34 T. 3, R. 8 a
W. 0.30 S 65 E 10 & a hick 5 S 87 W 20

Counted East 4th Mile

40.00 2nd S. post a beech 16 S 25 E 24 & an
Thorn 6 N 22 W 23 e

80.00 post corner to 34 & 35 T. 3 R 8 a sugar
10 East 21 & a walnut 24 N 65 W 53

Counted East 5th Mile

40.00 2nd S. post an Elm 12 S 59 W 16 & an
Elm 9 N 50 E 4 e

80.00 post corner to 35 & 36 T. 3, R 8 a
W. 0.24 N 55 W 20 & a W. 0.15 N 86 E 29

Counted 6th Mile

40.00 2nd S. post a hick 16 West 15 & a W.
12 S 23 E 24 e

South between towns 2 & 3 of Ranges 7 & 8
80.00 to the corner of the township

From the corner of towns 2 & 3
in Ranges 7 & 8 ran

South first mile

9.56 beech 14 } level thin Oak land
23.07 Softest in St. line of the Illinois Grant
40.00 N. S. post a poplar 24 N 59 W 16 & a
beech 18 S 48 E 28
55.20 gum 18 } poor land. timber Oak
75.00 bk 5 W } beech gum
77.00 S 10 W }
80.00 post corner to 1 & 12 T 2 R 7 & 6 7 T 2
R. 8. a beech 12 S 55 E 12 & a gum 24
N 85 W 29

South 2nd mile Rich land timber
19.20 poplar 36 } beech poplar &c
40.00 2nd post a N. 16 S 69 E 4 & a hick
7 N 88 W 21

40.84 set a post in a line of the
Illinois grant a poplar 48
In 177 E 23 S a dogw 26 S 46 W 25 c

Tracing the Illinois Grant ¹¹⁵

2 September the 23rd 1886
From the N.E. corner of the Illinois
Grant (N.W.) a poplar & beech both
matched 3 matches two ways ran

S 54° W on Grant line remarked & measured

0.50 bk. 5 S.W. kept down it, cropping it often

10.00 left brook running S 45° W

11.00 spring running South

50.00 bk. 3 S.

93.00 S. 15° N.W.

95.00 S. 4° N

107.00 bk 8 N

107.00 S. 3° N

generally good,

land, timber Oak

beech poplar &

135.00 to the intersection of the line
running between the 7th & 8 Ranges

S 54° W Grant line cont. from intersection
of Range line first mile

50.00 bk 20 N.W. } pretty good Oak land

80.00 set a mile post

2nd Mile

80.00 set a mile post by bk. 3 West

Tracing the Illinois Grant

3rd Mile

11.00 bk. 3 S.W.

37.00 do 20 N.W.

75.00 bk 20 West

80.00 set a mile post

4th Mile

12.00 bk 30 S.W.

16.50 do do W.

26.00 do do S.

poor hilly land
timber Oak
Saguo, Horned &
poor white oak
land

49.00 praped 3 whiteoaks, matched for
the corner & bent

51.00 Intersected S 36 E line, set a post
at intersection from which a
No. 16 T.D. bears S 35 E 8 bk. dist
& a No. 12 N 12 E 21 bk. dist

S 36 E first mile on Grant line

22.00 bk. 30 S.

46.00 do 15 S.

78.00 do 5 S.

80.00 set a mile post

poor hilly Oak land

Tracing the Illinois Grant ¹¹⁷

2nd mile

22.75 set a post between two Whites
which I take for the old corner
they are both natched 3 natches
on 4 sides, from the post a W.O.
15 P.D. bears N40 E 6 to W.O.,
S40 W 8

S 54 W first mile

34.50 Sugar tree natched 3 natches
4 sides, for a corner, &
here I discover myself to be
inside of the Grant, I
therefore return to my
last corner, & measure back
on S 36 E line 30.75 P.D. found
a W.O. 36 P.D. natched & a line
marked off which I take to be
the Grant line, I therefore
trace it

Tracing the Illinois Grant

S 54 W September the 24.th

25.00 silver creek 40 bks wide running SE

45.00 to 3 whit oaks natched 3 natches
on two sides. Contd

48.00 bk 3 S.

50.00 do 3 S.

80.00 set a post

Contd 2.nd Mile

25.00 bk 10 S.

47.00 do 4 S

80.00 set a mile post

Contd 3.rd Mile

30.00 bk 3 S. } poor land timber

34.00 bk 2 S. } Oak, Dogwood, &c

60.00 set a post and traveled to
the corner of towns 182 N. 67.Very rough
large fallen
timber &
grape vine

119

East between towns 1 & 2 Range 7.

East between towns 1 & 2 Range 7.

21.00 bk 3 SE } hilly poor white oak

23.00 S 3 S,

31.20 W 14

} large a

40.00 Port S. post a W 16 S 39 E 14 1/2 a

W 18 N 19 E 17 a

63.43 W 12

80.00 port corner to sect 5 & 6 in T 14

31 & 32 in town 2 of R. 7 a W 10

14 S 36 W 6 1/2 a W 16 N 25 E 38

East 2nd Mile

26.25 Intersected Grant line set a
post from which a W 16 S 62 E

17 1/2 a W 15 N 42 W 21

Cont^d Grant line from post
11.25 to Intersection of Township line

13th West Random line between
September the 25th 1806
West between towns 2 & 3 Range 7.
first mile Random line

24.00 bk. 4 S. } pretty good Oak

31.00 do 3 S.E. } land

40.00 temp 7 20th S. } poplar &

Over level land. timber Oak beech

80.00 temp 7 post

West 2nd Mile Random line

level land. timber Oak poplar beech

40.00 temp 7 2nd S. post

40.00 creek 50 N. } level rich land

80.00 temp 7 post } timber Oak poplar
beech &

West 3rd Mile Random line

10.00 bk 3 N N } level beech land

20.00 do 5 N

40.00 temp 7 20th S. post

75.00 bk 5 N } level beech &

Towns 2 & 3 of Range 7

121

80.00 temp 4 post.

West 4th Mile Random line

15.00 bk 15 N.

33.00 do 3 N } level creek land

40.00 temp 4 2 S post

66.50 bk 6 N.

75.00 do 3 NE } level creek land

80.00 temp 4 post

West 5th Mile Random line

40.00 temp 4 2 S. post } Level land

63.00 bk 50 NE } timber creek

67.00 do in SE

71.00 do in NE } poplar &c

80.00 temp 4 post

West 6th Mile Random line

40.00 temp 4 2 S. P. } good oak land

83.00 fell 1.50 N. of the corner to
towns 2 & 3 of Range 6 & 7

122

Corrected East between Towns

var 5.50

Corrected East between towns 2 & 3
1st mile41.50 set W. S. post on true line a
Sagwd 6 N 13 W 15 6 a Sagwd 6 S 74 E 1783.00 set the corner on true line corner
to set 546 T2 & 31.32 T.3 R 7 a bush
30 N 25 E 21 8 a bush 12 S 27 E 35Corrected East 2nd Mile40.00 2nd S. post a bush 16 N 85 E 3 8 a poplar
33 S 87 E 4480.00 post corner to set 445 T2 & 32 & 33
T3 R 7 a bush 18 N 61 E 21 8 a
bush 15 S 64 W 25Corrected East 3rd mile40.00 W. S. post a gum 15 N 28 W 43 4
a bush 15 S 39 E 48 a

80.00 post corner to 344 T2 & 33.34

243 of Range 7 —

33 Rya No 16 S 67 E 16 4 a beech
10 N 82 E 23 —

Conceded East 4th Mile

40.00 2nd S post a beech 17 N 52 E 17 4
a maple 8 S 70 N 34 —

50.00 post corner to ant. 243 72 4
34 ~ 35 73 Rya beech 16 S 56 N 10
4 a R. O. 24 N 64 E 28 —

Conceded East 5th Mile

40.00 2nd S post a beech 18 North 1 4 a
a N 14 14 E 25 —

50.00 post corner to 142 72 4 a 35.36
in 73 Rya beech 18 170 E 7
4 a beech 14 N 82 E 23 —

Conceded East 6th Mile

40.00 2nd S post a beech 16 N 7 E 7
4 a R. O. 30 32 9 18

50.00 to town corner

[Faint, illegible handwriting, likely bleed-through from the reverse side of the page. The text is mirrored and difficult to decipher.]

South boundary T³N. R⁸E. 2^d ¹²⁵ ¹²⁵ ¹²⁵
East on S. boundary Sec. 31.
Var. 5.50' E.

32.12 Intersected the Illinois Grant
at post from which
a W. Oak 18 N 41 W 50 ch. dist
a do 18 D 81 E 59 " "
Thence with the Grant line
N 54 1/2 E 20.25 a stream 12 ch.
wide Course N 60 W - Con^d. Same
Course 38.80 to a W. Oak, Ingathra
& black Gum corner of Grant
Thence S 35 1/2 E 28.00 to Cor.
of Sec. 31 & 32 T³N. R⁸E.
Continued the line through the
Grant from the point at 32.12
80.50 at post Cor. to Sec. 31 & 32 T³N
Range 8 E, from which
a Beech 9 N 57 W 18 ch. dist
a do 8 D 73 E 20 " "
Sept. 22nd. 1806

from page 111

126

5

87

6/535

8/195

1200

2800

650

North between R. 7 & 8 T. 5 & 5

van 5. 50. E. H
September the 26. 1806

North first mile towns 5 & 5 Ranges 7

12.50 bk 3 SE } hilly land, timbered
19.30 beech 16 } with beech poplar
29.00 bk 3 SE }
39.00 do 2 SE } alk fl

40.00 P. S. post a beech 15 S 23 W 7 &
a 13 N 15 E 20

55.00 beech 30 } generally level beech
79.50 bk 3 SW } land of

80.00 post corner to sects 25 & 36 T. 5 R. 7
a beech 7 S 41 E 5 & a maple 12 N 11 W 28

North 2nd Mile

13.00 bk 3 W } level beech land
22.29 ash 36 }

40.00 P. S. post a beech 16 S 10 E 7
a beech 18 N 7 W 12

78.70 gum 36 } level beech land

80.00 post corner to sects 24 & 25 T. 5
R. 7. a beech 12 S 2 E 19 & a beech 12 N 12 W 28

North. Between Range

North 3rd Mile

25.00	bk 2 E	} level land timber
27.00	beech 12	
32.50	bk 3 SE	} beech poplar &c
40.00	2 nd S. post a beech 12 N 9 E 15	
	4 a beech 20 S 32 W 27	
65.00	R 30	} level beech land
66.00	bk. 5 W	
70.00	S. 4 W	
80.00	post corner to cuts 13 & 24 S 5	
	N 7 a beech 30 South 38 & on a 12	
	18 N 2 W 33	

September the 27th 1806North 4th Mile

08.50	bk 3 W	} level land. timber
18.00	2 nd 3 SW	
22.22	beech 18	} beech poplar &c
40.00	2 nd S. post a beech 12 N 9 E 27	
	4 a beech 14 S 4 E 40	
66.00	beech 16	} flat beech land

es 7 & 8 Towns 5 & 5

129

80.00 post corner to 12 & 13 T5 R7
a beech 12 S29W13 & an ash 24 N7E
12 lks. dist ~

North 5th Mile

16.00 spring W } uneven land
18.65 ash 30 } timber beech
32.50 bk 15 W } poplar &c

40.00 D. S. post a beech 20 S20E29
& a beech 16 N4W36 ~

67.50 bk 2 E } hilly land. timber
72.00 do 2 E } beech poplar &c

80.00 post corner to sects 1 & 12 T5 R7
a beech 5 N67W9 & a beech 12 S33E
20 lks. dist ~

North 6th Mile } level land. timber
20.20 ash 16 } beech poplar ash

40.00 D. S. post a beech 5 S41E16 & an
ash 12 N4W24 ~

69.40 beech 12 } level beech land

80.00 post corner to towns 5 & 6 of
Rangers 7 & 8 a beech 30 S72E26 &
a beech 16 N62W27

130 West Random line between

West first mile Random line

25.00 bk 2 N } level beech land

40.00 D. S. post tempy

66.50 bk 4 N } level land, timber beech
poplar ash &c

80.00 tempy sett post

West 2nd mile Random line

27.00 bk 2 SW } uneven land, timber

38.00 Do 6 N W } beech poplar &c

40.00 tempy D. S. post

50.00 bk 20 SW } uneven land,

58.00 Do 20 N W } timber beech ash

65.50 Do 3 N, } poplar &c

80.00 tempy post

West 3rd mile Random line

30.00 bk 6 N } level beech land

35.00 river 2.00 bks wide running SW

40.00 tempy D. S. post

80.00 tempy post } wet bog, timbered
with beech Elm &c

en towns 5 & 6 Range 7

131

West 4th Mile Random line

over wet land. timber beech maple
Elm &c

40.00 tempy 2nd S. post

51.00 bk 20 SW } wet beech land

80.00 tempy post

West 5th Mile Random line

12.00 beech 50 SW } wet land

18.00 do do SW } timber beech

23.00 do do SW } Elm &c

40.00 tempy 2nd S. post

level beech land

80.00 tempy post

West 6th Mile Random line

30.00 bk 3 SW } flat beech

40.00 2nd S. post } land

42.00 bk. 3 SW }

80.00 Intersected Henries Range line

8.15 bk. South of the corner
made by Henrie for the
corner of towns 5 & 6 in Range 7

132

North between Ranges 6 & 7.

September the 28th 1806

6 & 7, it is reduced to a certainty that Kennies measure
 on the west ~~as~~ my own
 on the East boundary of
 town 5, R. 7 is incorrect,
 I therefore ~~refuse~~ travel
 to the corner of towns 4
 & 5 in Ranges 6 & 7 trace
 Range line

North first mile

48.60	90 S. post	} Flat land. timbered with
81.30	20 S. post	
	sect post	} beech gum Oak &c

North 2nd mile

17.00	bk 10 W. kept	} level land
	up the bk.	
21.00	left bk. to the right	
40.25	20 S. post	
81.10	sect post	} timber beech
		} gum Oak &c

North 3rd mile

2.50	bk 10 SW	} flat land timber
		} beech gum &c

North between Ranges 647

40.75	D. S. post	} flat beech land	
81.60	set post		
North 4 th mile		} level land. timber beech Gum Oak &c	
40.75	D. S. post c		
81.60	set post c		
North 5 th mile		} first 1/2 mile is nearly all a bare brier swamp. residue is wet beech land	
40.50	D. S. post		
41.50	Creek 50 NW		
81.60	set post c		
North 6 th mile		} flat wet land timbered with beech Maple Gum Elm &c	
23.00	Creek 200 SW		
33.00	D. 50 W.		
40.75	D. S. post		
53.00	Creek 40 W		
70.50	D. 25 W		
72.60	intersection of our Random line		
80.75	town corner c		

This line appears to be correctly
ran but M. Hennies Chain must
undoubtedly be too long c

134
September the 29. 1886

North between Ranges 6 & 7

set a post 8.00 W. South of
Henries corner for the corner
of towns 5 & 6 Range 7 from
which a beech 36 N 22 W 10
& a beech 18 S 31 E 42 =

North

<sup>Not Henries line were subsequently vacated &
the same corner is the same with that of 5 & 6 Range 6.</sup>
first mile between towns 6 & 6
Ranges 6 & 7

8.00 Henries town corner

48.75	2 ^d S. post	} Level land, timber beech Oak Gum &c
80.00	bk 16 W	
89.25	set. corner	

North	2 nd Mile	} Level land, timber beech Oak &c
39.00	bk. 15 W.	
40.75	2 ^d S. post	
70.50	bk 3 W =	

81.60 set post =

North	3 rd mile	} Rich land, timber beech ash Elm &c
38.50	bk 8 W	
41.00	2 ^d S. post	

135

North between Ranges 6 & 7

- 69.00 Creek 30 W } level beech lands
 81.75 set post }
 North 4th mile }
 23.00 Tibby's trace } wet land
 40.65 D. S. post } timber beech
 55.00 Creek 40 W } maple gum &c
 75.00 south side of a flag pond
 80.00 North side - D. S. round form
 81.10 set corner
 North 5th mile } level wet land
 22.00 bk 3 S E }
 41.00 D. S. post } timber beech
 43.00 bk 4 S E } gum Oak &c
 82.00 set post }
 North 6th mile } level beech
 41.25 D. S. post } land
 64.30 set a post for the corner of
 18 20 towns 6 & 7 Range 7 a beech
 29 W 12 & a N 67 E 20 This is Henry
 69.00 bk 3 W } can't see this line was corrected afterwards
 82.50 corner to towns 6 & 7 Range 6

North Between Ranges 6 & 7

North from the corner of towns
6 & 7 Range 6. first mile

18.00 creek 50 W } level land. timber

40.60 D. S. post } creek gum &c

48.85 to a post set in the Indian
boundary line 6.25 lbs. N 56 $\frac{1}{2}$ E
of the 48 mile tree

September the 30th 1896

traveled back to the corner of
towns 5 & 6 Range 7 & corrected
var. 5.50. to.

East between towns 5 & 6 R. 7 first mile

40.00 set D. S. post a ^{beek 15 N 14 W} ~~beek 15 N 14 W~~ & a
beek 30 S 67 E $\frac{3}{4}$

80.00 post corner to 31 & 32 T 6 R 7 a
beek 24 N 6 W 13 & a beek 18 S 24 W 26

Corrected East 2nd mile

40.00 D. S. post a beek 16 N 55 E 4 &
a beek 16 S 43 W 29

80.00 post corner to 32 & 33 a beek 18
N 42 W 15 & a beek 8 S 18 W 20

137

Corrected East between towns 5 & 6 R7

Corrected East 3.rd Mile

40.00 W. S. post a Gum 30 West 24 & a
beech 6 N72 E 24 ~

80.00 post corner to 33 & 34 T6 R7 a
beech 3 N38 W 23 & a WD 30 S68 E 40

Corrected East 4.th Mile

40.00 W. S. post an Elm 48 East 3 & an
Elm 30 S47 W 27 ~

80.00 post corner to 34 & 35 T6 R7 a
beech 9 S24 E 31 and a poplar 36
N67 W 40 ~

Corrected 5.th Mile East

40.00 W. S. post a beech 12 N76 W 31 &
a beech 24 S64 E 39 ~

80.00 post corner to 35 & 36 T6 R7 a
beech 15 N80 W 5 & a beech 24
S58 E 25 ~

Corrected East 6.th Mile

40.00 W. S. post a beech 12 S49 W 14
& a beech 12 N89 E 37 ~

80.00 to the corner of towns 5 & 6 in
Ranger 7 & 8 ~

North between towns 6 & 6

var. 5° 50' E

North between towns 6 & 6 N. 7 & 8
first mile

4.00	bk 3 W	} level land timber
7.96	beech 12	
23.00	bk 3 W	} beech poplar
40.00	2 ^d S. post a beech 12 S 17 E 14	
	8 a beech 8 N 48 W 30	
40.50	bk 3 W	} fallen timber thicket
80.00		
	post corner to 25 & 36 T 6 R 7 a	
	beech 8 N 15 W 18 8 a a beech 10 S 35 E 25	

North	2 nd mile	} generally good
7.84	poplar 60	
11.00	bk 3 E	} land timber beech
18.00	2 ^d 20 NW	
21.00	bk 20 NE	} Oak ash &c
25.00	loopt bk	
27.00	do do	
35.00	bk 3 E	
40.00	2 ^d S. post a an ash S 37 E 18	
	8 a beech 16 N 5 W 30	
10.73	beech 12	

of Ranges 7 & 8

139

65.00 bk 3 E } Rich land. timber
78.00 S 20 NW } beech sugar Oak &c
80.00 post corner to 24 & 25 T6 R7 a
beech 8 N44 W10 & a beech 8 S33 W30

North 3rd Mile } Generally good land
11.27 Elm 12 } timber beech ash Oak
12.00 a large cave spg 1.00 bl. E. of the line
40.00 2nd S. post a Cherry N52 W7 & a
beech 16 S48 E14

45.00 bk 30 NE } Rich land. timber
55.90 sugar tree 12 } beech sugar ash &c
57.00 beech 30 NW }
74.50 beech 200 W }
80.00 post corner to 13 & 24 T6 R7 a
beech 16 N46 E21 & a beech 16 S40 W16

North 4th Mile } wet bottom timber
beech sycamore &c
40.00 2nd S. post a beech 12 S86 W3 & a
beech 10 N86 E14
69.00 bk 50 S.W. } good land timber
80.00 post corner to 12 & 13 T6 R7 a
beech 3 N44 W30 & a beech 16
S61 E25

North between towns 6 & 6 Ranges 7 & 8

October the 1st 1806

North 5th Mile } hilly land, rich
 5.00 bk 20 E } soil timber beech
 14.40 Ro. 16 — } Oak Ash &c
 40.00 2^d S. post a No. 50 S 62 E 36 & a
 beech 16 N 67 W 53 —
 46.00 bk 3 S. E } uneven land, timber
 60.80 beech 14 } beech Oak Dogwood &c
 80.00 post corner to 1 & 12 T. 6 R. 7 a Ro.
 36 S 13 E 26 & a beech 14 N 2 W 27 —

North 6th Mile } Level land timber
 21.00 bk 3 N W } beech Oak &c
 21.60 beech 24
 33.00 bk 4 N W
 40.00 2^d S. post a Gum 18 N 82 W 25
 & a Gum 16 S 84 E 20
 51.80 beech 12 } uneven land
 67.50 bk 4 N W } timber beech
 79.50 S 3 N W } Oak &c
 80.00 post corner to towns 6 & 7 of
 Ranges 7 & 8 a Ro. 36 N 53 E 31
 & a No. 30 S 38 W 48 —

141

West Random line T. 6 & 7, R. 7

West first mile Random line T. 6 & 7, R. 7

0.50	bk 3 NW	} Generally good land, timber beech
11.00	do 3 W	
20.00	break 30 SW	
39.00	do 30 NW	} Oak & —
40.00	temp 4 20 S. post	
45.00	break 30 SW	} Uneven beech land —
65.00	do 30 NW	
80.00	temp 4 post	

West 2nd mile Random

27.00	break 10 SW	} level beech land
40.00	temp 4 20 S. post	
49.50	bk 2 S	} level beech land
80.00	temp 4 post	

West 3rd mile Random line

5.00	bk 5 S	} level land, timber beech Oak & —
40.00	temp 4 20 S. post	
80.00	temp 4 post	} level beech land

West 4th mile random line

14.50	bk 3 S	} level beech land
40.00	temp 4 20 S. post	

West Railroad line T687 R7

43.00 bk 3 S. } level land, timber

50.00 D^o 3 S } beech Oak &c80.00 temp^y postWest 5th mile

2.00 bk 3 S } level land timber

31.00 bk 50 SW } beech poplar &c

36.00 bk 3 S. }

40.00 temp^y 2^d S post

49.00 bk 3 S } level land timber

73.00 D^o 4 S } beech Oak &c80.00 temp^y post

+

West 6th mile

10.00 bk 3 SW } level beech land

20.00 D^o 10 S }40.00 temp^y 2^d S. post80.50 fell 25 bk. S. of the corner to
towns 687 of Range 7, —

Corrected East between towns 6 & 7 R₇

October the 2.nd 1806 var. 5.50

Corrected East 1.st Mile T₁ 6 & 7 R₇

40.25 D. S. post, a beech 12 S 30 W 12

& a beech 7 N 75 E 29

80.50 post corner to 31 & 32 T₇ R₇

a beech 10 S 36 W 8 & a beech 16 N 5 E 10 c

Corrected East 2.nd Mile

40.00 D. S. post a sugar tree 12 N 84 W

& a beech 18 S 74 E 40 c

80.00 post corner to 32 & 33 T₇ R₇

a beech 140 E 17 & a beech 30 N 9 W 27

Corrected East 3.rd Mile

40.00 D. S. post a beech 10 N 68 W 10

& a beech 9 S 2 E 24 c

80.00 post corner to 33 & 34 T₇ R₇

a beech 3 N 14 W 24 & a beech 10 S 5 W 14

Corrected East 4.th Mile

40.00 D. S. post a beech 10 N 84 E 13

& a beech 12 N 78 W 32 c

144

Corrected East between T. 6 & 7 R. 7

80.00 post corner to 34 & 35 T. 7 R. 7 a
 poplar 36 N 69 E 9 & a beech 12
 West 27 —

Corrected East 5th Mile

40.00 2^d S. post a beech 12 S 33 W 21
 & a beech 18 North 27 —

80.00 post corner to 35 & 36 T. 7 R. 7 a
 beech 12 S 33 W 18 & a beech 12
 N 40 E 16 —

Corrected East 6th Mile

40.00 2^d S. post a beech 8 S 44 E 14
 & a beech 16 N 69 W 26 —

80.00 post town corner —

var 5.50 E 8th mile
 North between T. 7 & 7 Range 7 1st mile

8.00 bk 3 W } hilly land timber
 31.00 bk 3 W } Oak beech & —

40.00 2^d S. post a 40.24 N 45 W 25 & a
 beech 12 S 72 E 14 —

145

North between Towns 7 & 7 R⁶ 7 & 8

42.50	b ^k 20 S W.	} Good land timber
52.00	do 3 E	
55.00	beech 24	
80.00	} beech poplar Oak &c	
post corner to 25 & 36 T ⁷ R ⁷ , a poplar 36 N 12 W 8 & a beech 16		
S 11 E 29 °		

North 2. nd Mile		} Good land timber
27.20	beech 15	
40.00	} Oak, beech, poplar &c	
D. S. post a sugar 12 S 53 W 26 & a beech 16 S 63 E 28 °		
65.50	b ^k 4 W	} pretty good Oak land
77.50	W. O. 15	
80.00	post corner to 24 & 25 T ⁷ R ⁷ , a beech 8 N 42 W 4 & a W O 12 S 30 E 20 °	

North 3. rd Mile		} Good land timber
6.50	b ^k 6 W	
16.20	Sugar 16	} beech Oak poplar
30.50	b ^k 3 W	
34.50	S. O. 5 W	} Sugartree &c

146 North between towns 7

40.00 D. S. post a beech 12 N 86 W 6 & a
sugar 12 S 70 E 15 e

67.00 b.k 10 W } Good land, timber
70.00 beech 40 S W }
75.60 No. 140 e } sugar beech Elm &c

80.00 post corner to 13 & 24 T. 7, R. 7, am
Elm 14 N 22 E 6 & a beech 6 S 2 E 16.

North 4th mile } Rich land timber Oak,
sugar ash Elm &c

40.00 D. S. post a sugar 12 S 39 W 20 & a
& a walnut 12 N 16 E 27 e

61.00 b.k 3 S W } Rich land timber Oak,
sugar beech &c

80.00 post corner to 12 & 13 T. 7, R. 7, a No.
36 S 56 W 12 & a beech 12 N 53 E 10 e

North 5th mile } Level land, timber

24.30 beech 15

24.50 b.k. 3 N E } beech Oak &c

40.00 D. S. post a beech 16 N 7 E 15
& a beech 6 S 2 W 19 e

47 of Ranges 748 147

53.50 poplar 36 } level land timber beech

62.00 bk 5 W. } Oak &c.

67.00 set a post in boundary line from
which a beech 8 S 47 W 38 a beech

15 N 42 E 8 lks dist

traced boundary line

S 56 1/4 W

7.00 bk 5 W

22.90 to the 41 Mile tree

Alexander Holmes, L. S.

148

149

East boundary of T5N R8E.
2^d Mer. Indiana
November 3^d 1886
var. S. 5° 25' E

North On E. boundary Sec 36
31.33 a Beech 12 in. dia.
40.00 Set of Sec. post, from which
a Beech 8 N 74½ E 21 lks. dist.
a do 16 S 31½ W 10 " "
58.50 a Creek 50 lks. wd. C. S. W (now dry)
61.04 a Sugar tree 11 in. dia.
80.00 Set post Cor. to Sec. 25 of 36 from
which a Beech 15 S 87 E 37 lks. dist.
a Sugar tree 18 S 60 W 32 " "
1st ½ mile over level 2^d rate
land, rather wet in the spring -
last ½ mile over rolling land
the greatest part of the timber
fallen down, and a thick Spruce
undgth good farming land

E. Boundary of T⁵ N, R 8 E.
2nd Mer. Indiana

North On E. boundary Sec. 25

22.66 a Beech 12 in. dia.

40.00 Set of Sec. post, from which
a Beech 18. S 42 E 7 lks, dist. of
a Do. 6 N 43 W 9 " "

61.50 a Small dry branch E. W

63.42 a Beech 5 in. dia.

80.00 Set post Cor. to Sec. 24 & 25 from
which a Beech 12 West 13 lks, dist. of
a Do. 11 S 63 W 27 " "

The 1st 1/2 mile over flat land
timber principally Beech - the
last 1/2 mile over rolling fallen
timber, in general very thick
undergrd. Spruce, birch &c.
Middling farming land

151

E. boundary of S 5 N. R 8 E.
2nd Mer. Indiana

North On E. boundary of Sec. 24

21.00 a Small dry brook 10 lks. wide c. W.

27.71 a Poplar 48 in. dia.

40.00 Let of Sec. post, from which
a Beech 15 S 35 N 11 lks. dist. of
a Co. 24 N 42 E 23 " "

68.97 a Co. 18 in. dia.

79.00 a Creek 40 lks. wide c. W.

80.00 Let post Co. to Sec. 13 of 24, from wh.
a Beech 15 N 72 1/2 E 11 lks. dist. of
an Elm 18 N 43 W 5 " "

Over rolling 2nd rate land, timber
principally Beech, under^{tho}
Spruce, Hognose & greenbrier, the
last 1/2 mile good farming land

E. boundary T5 N. R28 E
T^h. Mer. Indiana

North	On E. boundary of Sec 13
22.30	a Poplar 20 in. dia.
40.00	at q. Sec. post, from which a Beech 15 N43W 22 l ₂ . dist. a Do 15 S15E 9 " "
43.00	a Creek 50 l ₂ , wide E. & W.
60.14	at Beech 8 in. dia.
80.00	at post Cor. to Sec. 12 & 13 from which a Beech 6 N20E 28 l ₂ . a Do 6 S47W 12 "
	Over rolling 2 ^d . rate land timber principally Beech Some poplar & Yew und ^g . Spruce, good farming Land.

E. boundary S 5 N R 8 E.
T^h. Mer. Indiana

North On E. boundary Sec. 12

27.50 a dry branch 10 lks. wide E. W.

40.00 Set of Sec. post, from which
a W. Oak 18 S 39 W 10 lks. dist. &
a Beech 6 S 66 E 8 " "

63.20 a Llo 24 in. dia.

80.00 Set post cor. to Sec. 1, 12, from
which Beech 11 N 23 W 18 lks. dist

Llo. 24 S 23 E 34 " "

Over level T^h. state land
timber Beech, Poplar & Gum
principally, good farming
land

E. boundary T5 N 12 8 E
2nd Mer. Indiana

North on E. boundary of Sec. 1


27.55 a Beech 15 in. dia.

40.00 Let of Sec. post, from which
a Poplar 30 S 6 1/2 E 22 lbs. dia.
a Beech 13 N 12 W 18 . "


65.43 a Do 18 in. dia

79.50 Intersected the E & W. line
721 lbs. West of Town Cor.
(description omitted)
Surveyed by James Lissou
Dep. Sur.


Comp.



comp
J. E. H. & P. E. D.







7

Recorded

84

Alec^{de} Holmes p

Book of Range & Township

Series

57.48

76.03

4
204.12

24.63

51.44

0
76.20

394.12

35.01

78.84

602.09

304.08

114.03

260.07

250.85